



PRICE LIST IN EUROS (€)

2026

Validity 03/31/2027

Due to the current increase in raw materials, MELJAC reserves the right to modify, without notice, the period of validity of its prices. Please contact us.

www.meljac.com




MUST-HAVE




Classique

p.2



Ellipse


p.17



Damier

p.22

DESIGN



Cannelée


p.26



Solaris


p.29

ART



Tournaire

p.33



Studio


p.35



Lalique


p.37

OTHER MATERIALS



Pierrot


p.39



Limoges

Classique Ellipse

p.41



Plexiglass


p.45

OTHER PRODUCTS



Volumes

p.47




Sol

p.51



Reading lamps

p.54



Spotlights

p.60

TECHNICAL INFORMATIONS

Finishes

Options

p.65

Mecanismes

Back boxes

Screwless systems

p.72

Characteristics of the collections

						Materials and thickness												
		Controls elements				Brass				Glass	Plexiglass	Porcelain	Edges			Screws		
		V&V	Inv auto	BP	BPE	3mm	5mm	5,5mm	6mm	4mm	3mm	3mm	Chamfer	Straight	Special	With screws	Screwless	
MUST-HAVE	Classique	✓	✓	✓	✓	✓							✓	UR	UR	✓	Option	
	Ellipse	✓	✓	✓		✓							UR	✓	UR	✓	Option	
	Damier			✓		✓							UR	✓	UR	UR	✓	
DESIGN	Cannelée	✓	✓	✓				✓							✓		✓	
	Solaris	✓	✓	✓		✓									✓		✓	
ART	Tournaire	✓	✓	✓					✓						✓		✓	
	Studio	✓	✓	✓		✓							✓	UR			✓	
	Lalique	✓	✓	✓			✓						✓				✓	
OTHER MATERIALS	Pierrot	✓	✓	✓	✓					✓			✓			✓		
	Plexiglass	✓	✓	✓	✓						✓		✓			✓		
	Limoges Classique	✓	✓	✓	✓							✓		✓			✓	
	Limoges Ellipse	✓	✓	✓								✓		✓			✓	

CLASSIQUE COLLECTION

SPECIFICATIONS

General

- Switches, reading lamps and sockets
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed (*except for low current*)
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With chamfer and visible screws
- **Screwless option available for some models – please contact us. Prices for backplates – p. 78**
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (*p.67*)

Control mechanisms

- Round base - Droplet lever or push button
- Chrome-plated on cold and special finishes, golden on warm finishes
- Automatic connection by default, screw connection on request


SIZES & BACK BOXES

Sizes (in mm)	Recommended back boxes
Ø98 - 80x80 - 115x80 - 142x80 205x80 - 267x80	Mixed MELJAC, for dry partition and masonry
38x91 - 38x133 - 38x175	Narrow MELJAC, for masonry only
56x56 - Ø56	LEGRAND 89246, for masonry only
Oval - Hexagonal - Octagonal	LEGRAND 80051, for dry partition only

Renovation: can be adapted for other boxes: please contact us

How to fix?




The covering plate is directly screwed onto the back box.



ORIGINE
FRANCE®
GARANTIE

BVCert. 6012053


CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x80x3	1 control element	FC3008A-A1100010	102,79	107,93	123,35	148,02
			2 control elements	FC3008A-A1100021	127,35	133,72	152,82	183,38
		80x80x3	1 Electronic Dimmer NU3514	FC3008A-K1000024	333,90	350,60	400,68	480,82
			1 Universal Dimmer S520519	FC3008A-K1000022	258,39	271,31	310,07	372,08
		80x80x3	Ambiant thermostat Legrand 76720	FC3008A-K1000120	595,46	625,23	714,55	857,46
			Ambiant thermostat Legrand 76720 with heat/cold selector	FC3008A-K1000124				


Control elements




Control elements examples with options



Fittings	Reference	Price from
1 BP	FC3008A-A1100010	102,79
Engraving 1 word	FZ9999Z-ZGR0001M99	+ 11,13



Fittings	Reference	Price from
2 BP	FC3008A-A1100021	127,35
Engraving 1 word	FZ9999Z-ZGR0001M99	+ 11,13
Engraving 1 symbol	FZ9999Z-ZGR1001S99	+ 11,13



Fittings	Reference	Price from
1 BP + 1 V&V	FC3008A-A1100021	127,35
1 LED indicator	FZLED1Z-Z00D301299	+ 18,13



80x80x3

Discreet light marking 2700k-warm
Discreet light marking 4000k-cold

FC3008C-K1002260
FC3008C-K1002261

228,79

240,23

274,55

329,46




Prices 07/26 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
	●	80x80x3	Blank	FC3008A-B0000000	78,22	82,13	93,86	112,63
	●	80x80x3	1 PC 2x10/16A+T	FC3008A-B0000010	105,51	110,79	126,61	151,93
			1 PC + Cover	FC3008A-F0000010	201,21	211,27	241,45	289,74
	●	80x80x3	1 universal PC Wonpro	FC3008A-W5000010	116,85	122,69	140,22	168,26
			1 universal PC Wonpro + Cover	FC3008A-F5000010	236,24	248,05	283,49	340,19
	●	80x80x3	1 DIN base	FC3008A-B0001621	99,22	104,18	119,06	142,87
			2 DIN bases	FC3008A-B0001631	120,20	126,21	144,24	173,09
	●	80x80x3	1 Speaker	FC3008A-B0001540	115,96	121,76	139,15	166,98
	●	80x80x3	2 Flush RCA sockets	FC3008A-B0001870	163,40	171,57	196,08	235,30
	●	80x80x3	1 TV outlet	FC3008A-B0001700	89,28	93,74	107,14	128,57
			2 TV outlets	FC3008A-B0001710	100,35	105,37	120,42	144,50
	●	80x80x3	1 TV-FM-SAT	FC3008A-B0000570	150,31	157,83	180,37	216,44
	●	80x80x3	1 HDMI	FC3008A-B0001460	125,20	131,46	150,24	180,29
			2 HDMI	FC3008A-B0001470	172,17	180,78	206,60	247,92
	●	80x80x3	1 RJ45	FC3008A-B0000730	120,89	126,93	145,07	174,08
			2 RJ45	FC3008A-B0000740	163,56	171,74	196,27	235,52


Prices 07/26 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x80x3	1 A USB power - 7,5W 1 C USB power - 20W	FC3008A-B0001211	190,02	199,52	228,02	273,62
		80x80x3	1 C USB power - 45W (gravure optionnelle) 1 C USB power - 65W (gravé)	FC3008A-B0001216 FC3008A-B0001214	220,86 286,09	231,90 300,39	265,03 343,31	318,04 411,97
		80x80x3	1 double AA USB power - 15W 1 double AC USB power - 17,5W	FC3008A-B0001221	189,09	198,54	226,91	272,29
		80x80x3	1 double CC USB power - 30W	FC3008A-B0001223	227,01	238,36	272,41	326,89
		80x80x3	1 A or C USB F/F adaptator 2 AA, CC ou AC USB F/F adaptators	FC3008A-B0001210 FC3008A-B0001220	120,91 169,24	126,96 177,70	145,09 203,09	174,11 243,71
		80x80x3	1 Cable outlet 1 Cable lead-out 1 Brush cable lead-out	FC3008A-B0001290 FC3008A-B0001370 FC3008A-B0001292	84,35 188,99 112,35	88,57 198,44 117,97	101,22 226,79 134,82	121,46 272,15 161,78

Prices 07/26 in euros
without VAT



CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		Ø98x3	1 control element	FC3009A-A1100010	137,52	144,40	165,02	198,02
			2 control elements	FC3009A-A1100021	162,10	170,21	194,52	233,42
		Ø98x3	Blank	FC3009A-B0000000	112,95	118,60	135,54	162,65
		Ø98x3	1 PC 2x10/16A+T	FC3009A-B0000010	139,48	146,45	167,38	200,86
		Ø98x3	1 DIN base	FC3009A-B0001621	133,95	140,65	160,74	192,89
			2 DIN bases	FC3009A-B0001631	154,94	162,69	185,93	223,12
		Ø98x3	1 Speaker	FC3009A-B0001540	150,70	158,24	180,84	217,01
		Ø98x3	2 Flush RCA sockets	FC3009A-B0001870	198,15	208,06	237,78	285,34
		Ø98x3	1 TV outlet	FC3009A-B0001700	124,02	130,22	148,82	178,58
			2 TV outlets	FC3009A-B0001710	135,09	141,84	162,11	194,53
		Ø98x3	1 TV-FM-SAT	FC3009A-B0000570	185,07	194,32	222,08	266,50
		Ø98x3	1 HDMI	FC3009A-B0001460	159,94	167,94	191,93	230,32
		Ø98x3	1 RJ45	FC3009A-B0000730	155,63	163,41	186,76	224,11
			2 RJ45	FC3009A-B0000740	198,29	208,20	237,95	285,54
		Ø98x3	1 A USB power 1 C USB power- 20W	FC3009A-B0001211	224,76	236,00	269,71	323,65
		Ø98x3	1 Cable outlet	FC3009A-B0001290	120,63	126,66	144,76	173,71
			1 Cable lead-out	FC3009A-B0001370	223,73	234,92	268,48	322,18

*Other USB models on page 5
Price on request*

*Prices 07/26 in euros
without VAT*

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding	
		56x56x3	1 V&V or 1 BP *	FC3013A-A1100010	95,29	100,05	114,35	137,22	*V&V : 600 series BP : 1200 series
		Ø56x3	1 V&V or 1 BP *	FC3014A-A1100010	110,66	116,19	132,79	159,35	
		Hexagonal shape	1 control element	FC3015A-A1100010	133,52	140,20	160,22	192,26	
		Octagonal shape	1 control element	FC3016A-A1100010	133,52	140,20	160,22	192,26	
		Oval shape	1 control element	FC3017A-A1100010	133,52	140,20	160,22	192,26	
		38x91x3	1 control element	FC3011A-A1100010	102,79	107,93	123,35	148,02	
		38x133x3	1 control element	FC3010A-A1100010	111,36	116,93	133,63	160,36	
			2 control elements	FC3010A-A1100020	135,95	142,75	163,14	195,77	
		38x175x3	3 control elements	FC3012A-A1100030	183,36	192,53	220,03	264,04	


Prices 07/26 in euros
without VAT

CLASSIQUE


Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x115x3	1 control element	FC3001A-A1100010	111,36	116,93	133,63	160,36
			2 control elements	FC3001A-A1100020	135,95	142,75	163,14	195,77
			3 control elements in triangle	FC3001A-A1100031	160,51	168,54	192,61	231,13
			3 BP or 3 BPE in line	FC3001A-A1100090	160,51	168,54	192,61	231,13
			4 control elements	FC3001A-A1100040	185,08	194,33	222,10	266,52
		80x115x3	1 Electronic Dimmer NU3514	FC3001A-K1000023	342,50	359,63	411,00	493,20
			1 Universal Dimmer S520519	FC3001A-K1000022	266,96	280,31	320,35	384,42
		80x115x3	1 Motion detector Leg. 67026	FC3001A-K1000135	383,72	402,91	460,46	552,55

Prices 07/26 in euros
without VAT

Control elements examples with options








Fittings	Reference	Prices from
2 BP	FC3001A-A1100020	135,95
Light engraving	FZ9999Z-ZGLU000199	+ 66,78
Additional light engraving	FZ9999Z-ZGLU100199	+ 66,78



Fittings	Reference	Prices from
1 Inv auto + 3 BP	FC3001A-A1100040	185,08
Engraving 2 triangles	FZ9999Z-ZGR0002T99	+ 22,26
Engraving 1 word	FZ9999Z-ZGR1001M99	+ 11,13
Resin engraving 1 word	FZ9999Z-ZR00001M99	+ 17,81





CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
	●	115x80x3	Blank	FC3000A-B0000000	86,80	91,14	104,16	124,99
		115x80x3	1 PC 2x10/16A+T	FC3000A-B0000010	114,10	119,81	136,92	164,30
	●	115x80x3	1 PC + Cover (horizontal)	FC3000A-F0000010	207,78	218,17	249,34	299,21
		80x115x3	1 PC + Cover (vertical)	FC3001A-F0000010				
		115x80x3	1 universal PC Wonpro	FC3000A-W5000010	125,44	131,71	150,53	180,64
	●	115x80x3	1 DIN base	FC3000A-B0001621	107,80	113,19	129,36	155,23
			2 DIN bases	FC3000A-B0001631	128,79	135,23	154,55	185,46
	●	115x80x3	1 Speaker	FC3000A-B0001540	124,55	130,78	149,46	179,35
	●	115x80x3	2 Flush RCA sockets	FC3000A-B0001870	171,99	180,59	206,39	247,67
			3 Flush RCA sockets	FC3000A-B0001880	214,57	225,30	257,48	308,98
	●	115x80x3	1 TV outlet	FC3000A-B0001700	97,87	102,76	117,44	140,93
			2 TV outlets	FC3000A-B0001710	108,92	114,37	130,70	156,84
	●	115x80x3	1 TV-FM-SAT	FC3000A-B0000570	158,90	166,85	190,68	228,82
	●	115x80x3	1 HDMI	FC3000A-B0001460	133,77	140,46	160,52	192,62
	●	115x80x3	1 RJ45	FC3000A-B0000730	129,47	135,94	155,36	186,43
			2 RJ45	FC3000A-B0000740	172,13	180,74	206,56	247,87

Plinth size possible
115x63x3
Contact us






Prices 07/26 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
	●	115x80x3	1 A USB power - 7,5W 1 C USB power - 20W	FC3000A-B0001211	198,60	208,53	238,32	285,98
	●	115x80x3	1 C USB power - 45W (optional engraving) 1 C USB power - 65W (engraved)	FC3000A-B0001216 FC3000A-B0001214	229,45 294,68	240,92 309,41	275,34 353,62	330,41 424,34
	●	115x80x3	1 double AA USB power - 15W 1 double AC USB power - 17,5W	FC3000A-B0001221	206,21	216,52	247,45	296,94
	●	115x80x3	1 double CC USB power - 30W	FC3000A-B0001223	235,59	247,37	282,71	339,25
	●	115x80x3	1 A or C USB F/M adaptor 2 USB F/M adaptors	FC3008A-B0001210 FC3008A-B0001220	129,50 172,20	135,98 180,81	155,40 206,64	186,48 247,97
Special plates	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
	●	115x80x3	1 Cable outlet 1 Cable lead-out	FC3000A-B0001290 FC3000A-B0001370	94,46 197,58	99,18 207,46	113,35 237,1	136,02 284,52
	●	115x80x3	Vimar Shaver socket	FC3000A-B1001300	375,05	393,80	450,06	540,07
	●	80x115x3	HAGER key card switch	FC3001A-K1000180	451,08	473,63	541,30	649,56

Prices 07/26 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x142x3	1 control element	FC3003A-A1100010	134,22	140,93	161,06	193,27
			2 control elements	FC3003A-A1100020	158,79	166,73	190,55	228,66
			3 control elements	FC3003A-A1100030	183,36	192,53	220,03	264,04
			4 control elements	FC3003A-A1100040	207,91	218,31	249,49	299,39
			5 control elements	FC3003A-A1100050	232,48	244,10	278,98	334,78
			6 control elements	FC3003A-A1100060	257,05	269,90	308,46	370,15
		80x142x3	1 PC + 1 control element	FC3003A-C0010010	161,51	169,59	193,81	232,57
			1 PC + 2 control elements	FC3003A-C0010020	186,07	195,37	223,28	267,94
		80x142x3	1 Var E + 1 control element	FC3003A-K1000313	389,90	409,40	467,88	561,46
			1 Var E + 2 control elements	FC3003A-K1000333	414,46	435,18	497,35	596,82
		142x80x3	1 PC + 1 control element	FC3002A-C0010010	161,51	169,59	193,81	232,57
			1 PC + 2 control elements	FC3002A-C0010020	186,07	195,37	223,28	267,94
		142x80x3	1 Var E + 1 control element	FC3002A-K1000313	389,90	409,40	467,88	561,46
			1 Var E + 2 control elements	FC3002A-K1000333	414,46	435,18	497,35	596,82

Prices 07/26 in euros
without VAT

CLASSIQUE





Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
	●	142x80x3	Blank	FC3002A-B0000000	109,66	115,14	131,59	157,91
	●	142x80x3	2 PC 2x10/16A+T	FC3002A-B0000020	164,24	172,45	197,09	236,51
	●	142x80x3	2 PC + Covers (horizontal)	FC3002A-F0000020	403,03	423,17	483,64	580,36
	●	80x142x3	2 PC + Covers (vertical)	FC3003A-F0000020				
	●	142x80x3	1 PC + 1 DIN base	FC3002A-B0052640	157,94	165,84	189,53	227,44
	●		1 PC + 2 DIN bases	FC3002A-B0052710	178,93	187,88	214,72	257,66
	●	142x80x3	1 PC + 1 Speaker	FC3002A-B0047320	174,69	183,42	209,63	251,56
	●	142x80x3	1 PC + 1 TV outlet	FC3002A-B0058240	148,00	155,40	177,60	213,12
	●		1 PC + 2 TV outlets	FC3002A-B0058310	159,06	167,01	190,87	229,04
	●	142x80x3	1 PC + 1 TV-FM-SAT	FC3002A-B0007340	209,03	219,48	250,84	301,01
	●	142x80x3	1 PC + 1 RJ45	FC3002A-B0010640	179,61	188,59	215,53	258,64
	●		1 PC + 2 RJ45	FC3002A-B0010710	222,27	233,38	266,72	320,06
	●	142x80x3	1 RJ45 + 1 TV-FM-SAT	FC3002A-B0012600	224,42	235,64	269,30	323,16
	●	142x80x3	1 RJ45 + 1 TV outlet	FC3002A-B0060760	163,38	171,55	196,06	235,27
	●		1 RJ45 + 2 TV outlets	FC3002A-B0060830	174,44	183,16	209,33	251,20
	●	142x80x3	2 RJ45	FC3002A-B0000740	194,99	204,74	233,99	280,79
	●		3 RJ45	FC3002A-B0000750	227,64	239,02	273,17	327,80
	●	142x80x3	1 PC + 1 A USB power	FC3002A-B0028841	248,73	261,17	298,48	358,18
	●		1 PC + 1 C USB power- 20W					

Plinth size possible
142x63x3
Contact us

Other USB models on page 5
Price on request

Prices 07/26 in euros
without VAT

CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		205x80x3	Blank	FC3004A-B0000000	178,93	187,88	214,72	257,66
		205x80x3	3 PC 2x10/16A+T	FC3004A-B0000030	260,80	273,84	312,96	375,55
		205x80x3	2 PC + 1 TV outlet	FC3004A-B0058250	244,56	256,79	293,47	352,16
		205x80x3	2 PC + 2 TV outlets	FC3004A-B0058320	255,62	268,40	306,74	368,09
		205x80x3	2 PC + 1 TV-FM-SAT	FC3004A-B0007350	305,61	320,89	366,73	440,08
		205x80x3	1 PC + 1 TV outlet + 1 RJ45	FC3004A-B1631560	259,94	272,94	311,93	374,32
		205x80x3	1 PC + 2 TV outlets + 1 RJ45	FC3004A-B1631770	270,99	284,54	325,19	390,23
		205x80x3	1 PC + 1 TV-FM-SAT + 1 RJ45	FC3004A-B1051950	320,98	337,03	385,18	462,22
		205x80x3	2 PC + 1 RJ45	FC3004A-B0010650	276,17	289,98	331,40	397,68
		205x80x3	2 PC + 2 RJ45	FC3004A-B0010720	318,84	334,78	382,61	459,13
		205x80x3	1 PC + 1 USB + 1 RJ45	FC3004A-B1074640	360,67	378,70	432,80	519,36
		205x80x3	2 PC + 1 Type A USB power	FC3004A-B0028851	345,30	362,57	414,36	497,23
		205x80x3	2 PC + 1 Type C USB power					
		267x80x3	Blank	FC3006A-B0000000	224,12	235,33	268,94	322,73
		267x80x3	4 PC 2x10/16A+T	FC3006A-B0000040	333,27	349,93	399,92	479,90
		267x80x3	3 PC + 1 TV outlet	FC3006A-B0058260	317,05	332,90	380,46	456,55
		267x80x3	3 PC + 2 TV outlets	FC3006A-B0058330	328,11	344,52	393,73	472,48
		267x80x3	3 PC + 1 TV-FM-SAT	FC3006A-B0007360	378,10	397,01	453,72	544,46
		267x80x3	2 PC + 1 TV outlet + 1 RJ45	FC3006A-B1631571	332,43	349,05	398,92	478,70
		267x80x3	2 PC + 2 TV outlets + 1 RJ45	FC3006A-B1631781	343,48	360,65	412,18	494,62
		267x80x3	2 PC + 2 RJ45	FC3006A-B0010720	364,03	382,23	436,84	524,21
		267x80x3	3 PC + 1 RJ45	FC3006A-B0010660	348,66	366,09	418,39	502,07
		267x80x3	3 PC + 2 RJ45	FC3006A-B0010730	391,32	410,89	469,58	563,50

Other USB models on page 5
Price on request

Prices 07/26 in euros
without VAT

CLASSIQUE - EXPORT STANDARD SOCKETS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
  	●	115x80x3	1 PC Schuko	FC3000A-B0000250	111,03	116,58	133,24	159,89
		115x80x3	1 PC Schuko + Cover (horizontal)	FC3000A-F0000250	} 241,37	253,44	289,64	347,57
		80x115x3	1 PC Schuko + Cover (vertical)	FC3001A-F0000250				
 	●	115x80x3	1 PC Unel (Schuko + Bipasso)	FC3000A-B0000490	157,81	165,70	189,37	227,24
			1 PC Unel + 1 PC Bipasso	FC3000A-B0084980	207,53	217,91	249,04	298,85
  	●	115x80x3	1 PC Bipasso	FC3000A-B0000410	123,23	129,39	147,88	177,46
			2 PC Bipasso	FC3000A-B0000420	158,43	166,35	190,12	228,14
			3 PC Bipasso	FC3000A-B0000430	204,24	214,45	245,09	294,11
 	●	80x80x3	1 PC Schuko	FC3008A-B0000250	113,40	119,07	136,08	163,30
			1 PC Schuko + Cover	FC3008A-F0000250	232,80	244,44	279,36	335,23
	●	80x80x3	1 PC Unel (Schuko + Bipasso)	FC3008A-B0000490	149,23	156,69	179,08	214,90
 	●	80x80x3	1 PC Bipasso	FC3008A-B0000410	127,94	134,34	153,53	184,24
			2 PC Bipasso	FC3008A-B0000420	177,67	186,55	213,20	255,84
	●	Ø98x3	1 PC Schuko	FC3009A-B0000250	148,15	155,56	177,78	213,34
	●	Ø98x3	1 PC Unel (Schuko + Bipasso)	FC3009A-B0000490	183,98	193,18	220,78	264,94
 	●	Ø98x3	1 PC Bipasso	FC3009A-B0000410	162,68	170,81	195,22	234,26
			2 PC Bipasso	FC3009A-B0000420	212,40	223,02	254,88	305,86

Prices 07/26 in euros
without VAT

CLASSIQUE - EXPORT STANDARD SOCKETS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		142x80x3	1 PC Schuko + 1 control element	FC3002A-C1610010	169,39	177,86	203,27	243,92
			1 PC Schuko + 2 control elements	FC3002A-C1610020	193,96	203,66	232,75	279,30
		80x142x3	1 control element + 1 PC Schuko	FC3003A-C1610010	169,39	177,86	203,27	243,92
			2 control elements + 1 PC Schuko	FC3003A-C1610020	193,96	203,66	232,75	279,30
		142x80x3	2 PC Schuko	FC3002A-B0000260	180,01	189,01	216,01	259,21
		142x80x3	2 PC Schuko + Covers (horizontal)	FC3002A-F0000260	418,80	439,74	502,56	603,07
		80x142x3	2 PC Schuko + Covers (vertical)	FC3003A-F0000260				
		142x80x3	1 PC Schuko + 1 DIN base	FC3002A-B0053480	165,82	174,11	198,98	238,78
			1 PC Schuko + 2 DIN bases	FC3002A-B0053550	186,81	196,15	224,17	269,00
		142x80x3	1 PC Schuko + 1 Speaker	FC3002A-B0048160	182,56	191,69	219,07	262,88
		142x80x3	1 PC Schuko + 1 TV outlet	FC3002A-B0059080	155,88	163,67	187,06	224,47
			1 PC Schuko + 2 TV outlets	FC3002A-B0059150	166,95	175,30	200,34	240,41
		142x80x3	1 PC Schuko + 1 TV-FM-SAT	FC3002A-B0008000	216,94	227,79	260,33	312,40
		142x80x3	1 PC Schuko + 1 RJ45	FC3002A-B0011480	184,45	193,67	221,34	265,61
			1 PC Schuko + 2 RJ45	FC3002A-B0011550	230,16	241,67	276,19	331,43
		142x80x3	1 PC Schuko + 1 A USB power	FC3002A-B0029681	256,63	269,46	307,94	369,55
			1 PC Schuko + 1 C USB power- 20W					
		142x80x3	1 PC Unel + 1 PC Bipasso	FC3002A-B0084980	230,38	241,90	276,46	331,75
			1 PC Unel + 2 PC Bipasso	FC3002A-B0085050	280,11	294,12	336,13	403,36

Other USB models on page 5
Price on request

Prices 07/26 in euros
without VAT

CLASSIQUE - EXPORT STANDARD SOCKETS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		205x80x3	3 PC Schuko	FC3004A-B0000270	284,46	298,68	341,35	409,62
		205x80x3	2 PC Schuko + 1 TV outlet	FC3004A-B0059090	260,35	273,37	312,42	374,9
			2 PC Schuko + 2 TV outlets	FC3004A-B0059160	271,4	284,97	325,68	390,82
		205x80x3	2 PC Schuko + 1 TV-FM-SAT	FC3004A-B0008010	321,39	337,46	385,67	462,8
		205x80x3	1 PC Schuko + 1 TV outlet + 1 RJ45	FC3004A-B1633240	267,83	281,22	321,4	385,68
			1 PC Schuko + 2 TV outlets + 1 RJ45	FC3004A-B1633450	278,9	292,85	334,68	401,62
		205x80x3	1 PC Schuko + 1 TV-FM-SAT + 1 RJ45	FC3004A-B1053510	328,87	345,31	394,64	473,57
			2 PC Schuko + 1 RJ45	FC3004A-B0011490	291,96	306,56	350,35	420,42
	205x80x3	2 PC Schuko + 2 RJ45	FC3004A-B0011560	334,61	351,34	401,53	481,84	
		2 PC Schuko + 1 Type A USB power	FC3004A-B0029691	361,08	379,13	433,3	519,96	
		2 PC Schuko + 1 double Type A USB power	FC3004A-B0029761	368,68	387,11	442,42	530,9	
		267x80x3	4 PC Schuko	FC3006A-B0000280	364,83	383,07	437,8	525,36
		267x80x3	3 PC Schuko + 1 TV outlet	FC3006A-B0059100	340,72	357,76	408,86	490,63
			3 PC Schuko + 2 TV outlets	FC3006A-B0059170	351,77	369,36	422,12	506,54
		267x80x3	3 PC Schuko + 1 TV-FM-SAT	FC3006A-B0008020	401,75	421,84	482,1	578,52
		267x80x3	2 PC Schuko + 1 TV outlet + 1 RJ45	FC3006A-B1633250	348,2	365,61	417,84	501,41
			2 PC Schuko + 2 TV outlets + 1 RJ45	FC3006A-B1633460	359,26	377,22	431,11	517,33
		267x80x3	2 PC Schuko + 2 RJ45	FC3006A-B0011560	379,8	398,79	455,76	546,91
			3 PC Schuko + 1 RJ45	FC3006A-B0011500	372,33	390,95	446,8	536,16
		3 PC Schuko + 2 RJ45	FC3006A-B0011570	414,98	435,73	497,98	597,58	

Prices 07/26 in euros
without VAT

ELLIPSE COLLECTION

SPECIFICATIONS

General

- Switches, reading lamps and sockets
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges and visible screws
- **Screwless option available for some models – please contact us. Prices for backplates – p. 78**
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p. 67)

Control mechanisms

- Elongated base - Ellipse, Seattle or JMA lever (with additional charge) and lighting option or oblong push button
- Chrome-plated on cold and special finishes, golden on warm finishes
- Automatic connection by default, screw connection on request



SIZES & BACK BOXES

Sizes (in mm)	Recommended back boxes
Ø98 - 80x80 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x133	Narrow MELJAC, for masonry only

Can be adapted for other retail boxes: please contact us

How to fix?

The covering plate is directly screwed onto the back box.



BVCert. 6012053

ELLIPSE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
 		80x80x3	1 control element	FE3008B-A1100010	147,17	154,53	176,60	211,92
			2 control elements	FE3008B-A1100021	216,11	226,92	259,33	311,20
 		Ø98x3	1 control element	FE3009B-A1100010	181,91	191,01	218,29	261,95
			2 control elements	FE3009B-A1100021	250,85	263,39	301,02	361,22

Control elements



V&V Inv auto BP

Prices for Ellipse and
Seattle toggles only



JMA lever: 30,09 €
additional charge

3 toggle designs	
Ellipse lever	
Seattle lever	
JMA lever	

	Additional charges				
	Fittings		Bespoke options		
	Gold or chrome standard version	Chromé vif or gilding	Other color chart finishes	Polished mirror effect	Backlit
Ellipse lever	✓		✓ 18,52	or + 41,67	+ + 22,91
Seattle lever	✓		✓ 18,52	or + 41,67	+ + 22,91
JMA lever		✓ + 30,09			







Prices 07/26 in euros
without VAT

ELLIPSE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x115x3	1 control element	FE3001B-A1100010	155,75	163,54	186,90	224,28
			2 control elements	FE3001B-A1100020	224,68	235,91	269,62	323,54
		80x115x3	3 control elements in triangle	FE3001B-A1100031	293,63	308,31	352,36	422,83
		80x115x3	4 control elements	FE3001B-A1100040	362,57	380,70	435,08	522,10
		38x91x3	1 control element	FE3011B-A1100010	147,17	154,53	176,60	211,92
		38x133x3	1 control element	FE3010B-A1100010	155,75	163,54	186,90	224,28
			2 control elements	FE3010B-A1100020	224,68	235,91	269,62	323,54
		38x175x3	3 control elements	FE3012B-A1100030	316,48	332,30	379,78	455,74

Prices 07/26 in euros
without VAT

ELLIPSE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x142x3	3 control elements	FE3003B-A1100030	316,48	332,30	379,78	455,74
		80x142x3	4 control elements	FE3003B-A1100040	385,42	404,69	462,50	555,00
		80x142x3	5 control elements	FE3003B-A1100050	454,36	477,08	545,23	654,28
		80x142x3	6 control elements	FE3003B-A1100060	523,30	549,47	627,96	753,55
		80x142x3	1 control element + 1 PC	FE3003B-C0010010	205,87	216,16	247,04	296,45
			2 control elements + 1 PC	FE3003B-C0010020	274,84	288,58	329,81	395,77
		80x142x3	1 control element + Var E	FE3003B-K1000313	434,27	455,98	521,12	625,34
			2 control elements + 1 Var E	FE3003B-K1000333	503,21	528,37	603,85	724,62
		142x80x3	1 PC + 1 control element	FE3002B-C0010010	205,87	216,16	247,04	296,45
			1 PC + 2 control elements	FE3002B-C0010080	274,83	288,57	329,79	395,75
		142x80x3	1 Var E + 1 control element	FE3002B-K1000313	434,27	455,98	521,12	625,34
			1 Var E + 2 control elements	FE3002B-K1000333	503,21	528,37	603,85	724,62

Prices 07/26 in euros
without VAT

ELLIPSE - EXPORT STANDARD SOCKETS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		142x80x3	1 PC Schuko + 1 control element	FE3002B-C1610010	213,77	224,46	256,52	307,82
		142x80x3	1 PC Schuko + 2 control elements	FE3002B-C1610020	193,96	203,66	232,75	279,30
		80x142x3	1 control element + 1 PC Schuko	FE3003B-C1610010	193,96	203,66	232,75	279,30
		80x142x3	2 control elements + 1 PC Schuko	FE3003B-C1610020	282,71	296,85	339,25	407,10

Prices 07/26 in euros
without VAT

DAMIER COLLECTION

SPECIFICATIONS

General

- Collection designed for low voltage 12V currents (home automation) and adaptable to high voltage 230V upon request
- Protection index: IP20 (IP21 on request)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges and non-visible screws (possible with visible screws: contact us)
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.59)

Control mechanisms

- Square push button 14x14mm in relief or flush
- Other button shapes possible (round, oval, triangular, rectangular...)
- In the same finish as the covering plate
- Screw connection

SIZES & BACK BOXES


Sizes (in mm)	Back box
80x80 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry





How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.



BVCert. 6012053



Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x80x3	1 BP	FK3008D-K2000130	182,79	191,93	219,35	263,22
			2 BP	FK3008D-K2000140	217,89	228,78	261,47	313,76
			4 BP	FK3008D-K2000160	281,18	295,24	337,42	404,90
		80x80x3	1 BPE	FK3008D-K2000310	193,25	202,91	231,90	278,28
		80x115x3	1 BP	FK3001D-K2000130	191,36	200,93	229,63	275,56
			2 BP	FK3001D-K2000140	226,47	237,80	271,76	326,12
			3 BP	FK3001D-K2000150	259,29	272,25	311,15	373,38
			4 BP	FK3001D-K2000160	289,76	304,25	347,71	417,25
		80x142x3	3 BP	FK3003D-K2000150	289,07	303,53	346,88	416,26
			4 BP	FK3003D-K2000160	319,55	335,53	383,46	460,15
			5 BP	FK3003D-K2000170	363,06	381,21	435,67	522,80
			6 BP	FK3003D-K2000180	406,55	426,88	487,86	585,43
		80x142x3	1 BP + 1 PC	FK3003D-K2500130	248,44	260,86	298,13	357,76
			2 BP + 1 PC	FK3003D-K2500140	283,55	297,73	340,26	408,31

To specify :
- BP in 12V or 230V
- BP in relief or flush

Optional 230V BPE
Price on request

Prices 07/26 in euros
without VAT


Button shapes available



Square



Triangle



Round



Rectangle



Oval

Back-lighting option:




See page 64

BESPOKE

Option with or without visible screws


Choosing products with no visible screws involves an additional charge corresponding to the price of the mounting plate to be fixed to the flush-mounted box. This additional charge applies to the CLASSIQUE and ELLIPSE Collections only. In the DAMIER Collection, which comes with no visible screws as standard, the price of the backplate is deducted when the option with visible screws is selected.

Control elements examples screwless or with screws




CLASSIQUE collection light switch,
screwless option

Fittings	Reference	Price from
1 BP	FC3008A-A1100010	102,79
Added value mounting plates	AA3008Z-Z0001MOD	+ 28,94



ELLIPSE collection light switch,
screwless option

Fittings	Reference	Price from
1 BP	FE3008B-A1100010	147,17
Added value backplates	AA3008Z-Z0001MOD	+ 28,94



DAMIER collection light switch,
option **with visible** screws

Fittings	Reference	Price from
1 BP	FK3008A-K2000130	153,85

For other mounting plate sizes and finishes, see page 78.

Prices 07/26 in euros
without VAT

BESPOKE

Straight or chamfered edges - Round angles

The three iconic collections, CLASSIQUE, ELLIPSE and DAMIER, can be customised with different edge and corner finishes, thanks to MELJAC's expertise across every stage of the manufacturing process. Upon request, the CLASSIQUE Collection, which comes with bevelled edges as standard, can be made with straight edges. Conversely, the ELLIPSE and DAMIER Collections, which come with straight edges as standard, can be made with bevelled edges.

MELJAC also offers a choice of rounded angles options.

Examples of sizes with straight or bevelled edges



CLASSIQUE collection light switch,
straight-edge option



ELLIPSE collection light switch,
chamfered edge option



DAMIER collection light switch,
chamfered edge option

Examples of rounded angles



CLASSIQUE collection light switch,
rounded angle option

CANNELÉE COLLECTION

Designed by Jean-Michel WILMOTTE

SPECIFICATIONS

General

- Switches, reading lamp and sockets (variation only with push buttons or automatic switches)
- Protection index: IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 5,5mm thick
- With straight edges and non-visible screws
- Different finishes are available on this mount (see page 59)

Control mechanisms


- Elongated base - Ellipse, Seattle or JMA lever or oblong push button
- Chrome-plated on cold and special finishes, golden on warm finishes
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES



Sizes (in mm)	Recommended back boxes
80x80 - 151x80	Type LEGRAND 80051 / LEGRAND 80052

How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate is magnetized onto the mounting plate.




BVCert. 6012053

Diagrams	Back box colour	Size (mm)	Fittings	Reference	**Cold finishes	**Warm finishes	**Special finishes	Shiny Gilding
		80x80x5,5	1 control element	FW5017K-A1100010	199,41	209,38	239,29	287,15
		80x80x5,5	2 control elements	FW5017K-A1100021	301,04	316,09	361,25	433,50
		80x80x5,5	1 PC 2x10/16A+T	FW5017K-B0000010	137,15	144,01	164,58	197,50
		80x80x5,5	1 RJ45	FW5017K-B0000730	158,96	166,91	190,75	228,90
		80x80x5,5	1 USB socket	FW5017K-B0001211	221,20	232,26	265,44	318,53
		80x80x5,5	1 cable outlet	FW5017K-B0001290	136,85	143,69	164,22	197,06
		80x80x5,5	1 TV outlet	FW5017K-B0001700	137,35	144,22	164,82	197,78
		80x80x5,5	1 Thermostat Schneider S520509	FW5017K-K1000127	568,35	596,77	682,02	818,42
		151x80x5,5	3 control elements	FW5022K-A1100032	465,00	488,25	558,00	669,60
		151x80x5,5	4 control elements	FW5022K-A1100042	566,64	594,97	679,97	815,96
		151x80x5,5	5 control elements	FW5022K-A1100052	668,28	701,69	801,94	962,33

**Available finishes =  page 67

Control elements:



V&V

Inv auto

BP

3 lever designs



Ellipse lever



Seattle lever



JMA lever


options: see page 18

Prices for Ellipse and
Seattle toggles only

JMA lever:
30,09 € additional charge

Prices 07/26 in euros
without VAT

CANNELÉE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	**Cold finishes	**Warm finishes	**Special finishes	Shiny Gilding
		151x80x5,5	2 PC 2x10/16A+T	FW5022K-B0000020	238,86	250,80	286,63	343,96
		151x80x5,5	2 RJ45	FW5022K-B0000740	282,49	296,61	338,99	406,79
			3 RJ45	FW5022K-B0000750	343,71	360,90	412,45	494,94
		151x80x5,5	1 PC + 1 control element	FW5022K-C0010010	301,12	316,18	361,34	433,61
		151x80x5,5	1 PC + 2 control elements	FW5022K-C0010020	402,76	422,90	483,31	579,97
		151x80x5,5	1 PC + 1 RJ45	FW5022K-B0010640	260,69	273,72	312,83	375,40
			1 PC + 2 RJ45	FW5022K-B0010710	321,89	337,98	386,27	463,52
		151x80x5,5	1 PC + 1 USB socket	FW5022K-B0028840	265,35	278,62	318,42	382,10
		151x80x5,5	1 PC + 1 TV outlet	FW5022K-B0058240	239,06	251,01	286,87	344,24
			1 PC + 2 TV outlets	FW5022K-B0058310	278,66	292,59	334,39	401,27

**Available finishes =  page 67

Silkscreen printing option,
contact us



See page 62

Prices 07/26 in euros
without VAT

SOLARIS COLLECTION

Designed by Marc NEWSON

SPECIFICATIONS

General

- Designed for low voltage (smart homes), can be adapted for line voltage
- Switches and sockets (variation only with push buttons or automatic switches)
- Protection index: IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges, rounded corners and non-visible screws
- Different finishes are possible (see page 67)

Control mechanisms

- Round base - Flattened toggle or flush concave push button
- Toggle in the same colour as the plate, shiny black base ring, black push button
- Automatic connection by default for automatic reversers (screw connection on request)
- Screw connection for push buttons


SIZES & BACK BOXES

Sizes (in mm)	Back boxes
84x84 - 84x120 - 84x144 - 210x84	Mixed MELJAC, for dry partition and masonry

How to fix?





The mounting plate with mechanisms screws directly onto the back box.

The covering plate is clipped onto the mounting plate.




BVCert. 6012053

SOLARIS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	**Cold finishes	**Warm finishes	**Special finishes	Shiny Gilding
		84x84x3	1 BP	FJ3208M-K2500070	208,89	219,33	250,67	300,80
			2 BP	FJ3208M-K2500080	245,76	258,05	294,91	353,89
		84x84x3	1 lever	FJ3208M-A1100010	232,27	243,88	278,72	334,46
			2 levers	FJ3208M-A1100020	335,04	351,79	402,05	482,46
		84x84x3	1 lever + 1 BP	FJ3208M-K2500130	311,67	327,25	374,00	448,8
		84x84x3	1 Thermostat Schneider S520509	FJ3208M-K1000127	562,52	590,65	675,02	810,02
		84x120x3	1 BP	FJ3201M-K2500070	223,42	234,59	268,10	321,72
			2 BP	FJ3201M-K2500080	260,27	273,28	312,32	374,78
			4 BP	FJ3201M-K2500100	308,46	323,88	370,15	444,18
		84x120x3	1 lever	FJ3201M-A1100010	246,79	259,13	296,15	355,38
			2 levers	FJ3201M-A1100020	349,56	367,04	419,47	503,36
			4 levers	FJ3201M-A1100040	555,11	582,87	666,13	799,36
		84x120x3	1 lever + 1 BP	FJ3201M-K2500130	326,18	342,49	391,42	469,70
			3 BP + 1 lever	FJ3201M-K2500170	382,44	401,56	458,93	550,72
		84x120x3	2 BP + 2 levers	FJ3201M-K2500140	465,84	489,13	559,01	670,81
			1 BP + 3 levers	FJ3201M-K2500160	531,75	558,34	638,10	765,72
		120x84x3	1 BP	FJ3200M-K2500070	221,22	232,28	265,46	318,55
			2 BP	FJ3200M-K2500080	258,08	270,98	309,70	371,64
			4 BP	FJ3200M-K2500100	306,27	321,58	367,52	441,02
		120x84x3	1 lever	FJ3200M-A1100010	244,60	256,83	293,52	352,22
			2 levers	FJ3200M-A1100020	347,37	364,74	416,84	500,21
		120x84x3	1 BP + 1 lever	FJ3200M-K2500130	324,00	340,20	388,80	466,56





**Available finishes =  page 67



Prices 07/26 in euros
without VAT

Diagrams	Back box colour	Size (mm)	Fittings	Reference	**Cold finishes	**Warm finishes	**Special finishes	Shiny Gilding
		84x144x3	2 BP	FJ3203M-K2500020	287,41	301,78	344,89	413,87
			3 BP	FJ3203M-K2500030	306,79	322,13	368,15	441,78
			4 BP	FJ3203M-K2500040	335,60	352,38	402,72	483,26
			6 BP	FJ3203M-K2500120	417,81	438,70	501,37	601,64
		84x144x3	2 levers	FJ3203M-A1100020	376,69	395,52	452,03	542,44
			3 levers	FJ3203M-A1100030	479,47	503,44	575,36	690,43
			4 levers	FJ3203M-A1100040	582,25	611,36	698,70	838,44
			6 levers	FJ3203M-A1100060	787,79	827,18	945,35	1134,42
		84x144x3	3 levers + 3 BP	FJ3203M-K2500150	615,11	645,87	738,13	885,76
		144x84x3	2 BP	FJ3202M-K2500020	287,41	301,78	344,89	413,87
			3 BP	FJ3202M-K2500030	306,79	322,13	368,15	441,78
			6 BP	FJ3202M-K2500120	417,81	438,70	501,37	601,65
		144x84x3	2 levers	FJ3202M-A1100020	362,20	380,31	434,64	521,57
			3 levers	FJ3202M-A1100030	461,03	484,08	553,24	663,89

**Available finishes = page 67

Diagrams	Back box colour	Size (mm)	Fittings	Reference	**Cold finishes	**Warm finishes	**Special finishes	Shiny Gilding
		84x84x3	1 PC	FJ3208M-B0000010	156,78	164,62	188,14	225,77
 		84x84x3	1 RJ45	FJ3208M-B0000730	198,62	208,55	238,34	286,01
			2 RJ45	FJ3208M-B0000740	267,77	281,16	321,32	385,58
 		84x84x3	1 A USB socket	FJ3208M-B0001211	241,30	253,37	289,56	347,47
			1 C USB socket					
  		84x84x3	1 AA double USB socket	FJ3208M-B0001221	248,90	261,35	298,68	358,42
			1 AC double USB socket	FJ3208M-B0001223	278,28	292,19	333,94	400,73
			1 CC double USB socket					
		144x84x3	1 PC + 1 control element	FJ3202M-C0010010	301,21	316,27	361,45	433,74
		144x84x3	2 PC	FJ3202M-B0000020	225,72	237,01	270,86	325,03
		144x84x3	1 PC + 1 RJ45	FJ3202M-B0010640	241,10	253,16	289,32	347,18
 		144x84x3	1 PC + 1 A USB socket	FJ3202M-B0002884	310,22	325,73	372,26	446,71
			1 PC + 1 C USB socket- 20W					
		210x84x3	3 PC	FJ3204M-B0000030	328,15	344,56	393,78	472,54
		210x84x3	2 PC + 1 AA double USB socket	FJ3204M-B0028921	420,27	441,28	504,32	605,18
		210x84x3	1 PC + 1 AA double USB socket + 1 RJ45	FJ3204M-B1214291	435,64	457,42	522,77	627,32

**Available finishes =  page 67

Other USB models on page 5
Price on request

Prices 07/26 in euros
without VAT

TOURNAIRE COLLECTION

SPECIFICATIONS

General

- Switches
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- 6mm-thick cast bronze (brass)
- With straight edges and non-visible screws
- 5 models replicating the six iconic motifs of the jewellery designer TOURNAIRE
- Three of the jewellery designer's 5 iconic motifs can be inlaid with precious stones:
Alchimie, Bas-relief and Engrenages.
- Exemple of finishes: Argent Patiné (G5), Nickel Vieilli, Nickel Noir Brillant, Dorure (1N), Bronze Moyen dépoli, Dorure (3N) Vieillie...

Control mechanisms


- Elongated base - Straight lever or Seattle lever with lighting option or push button
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES

Sizes (in mm)	Recommended back boxes
85x115	Mixed MELJAC, for dry partition and masonry

How to fix?


The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.




TOURNAIRE COLLECTION

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Special finishes
		85x115x6	1 control element	FA6003D-A1100010	949,39
		85x115x6	2 control elements	FA6003D-A1100020	1080,82
		85x115x6	4 control elements	FA6003D-A1100040	1343,75

Control elements



On request :




Precious stones encrustation
(diamants, saphirs...)

*Prices 07/26 in euros
without VAT*

Pattern (to be specified when ordering)




Alchimie*




Construction



Engrenages*



Bas-relief*



Catacombes

*Models that can be set with precious stones.

STUDIO COLLECTION

SPECIFICATIONS

General

- Switches
- Products must be installed indoors and earthed (*except for low current*)
- Cleaning only with a soft and dry duster, no product

Plaque de recouvrement

- Solid brass 3mm thick
- *Straight edges or chamfered (depending on the finish) screwless
- 7 finishes

Control mechanisms


- Round base - Droplet lever or push button
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES

Sizes (in mm)	Recommended back boxes
80x80 - 115x80	Mixed MELJAC, for dry partition and masonry


How to fix?

The covering plate is directly screwed onto the back box.



STUDIO COLLECTION

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Special finishes
		80x80x3	Méandres	FT3008D-A1100010AB	478,35
			Forest Automne } Forest Printemps }	FT3008D-A1100010AD	443,04
			Lagon	FT3008D-A1100010AG	295,04
			Plumes	FT3008D-A1100010AE	298,79
			Tissage	FT3008D-A1100021AF	352,88
			Noir Martelé	FT3008D-A1100010AC	307,80
		80x115x3	Méandres	FT3001D-A1100010AB	557,95
			Forest Automne } Forest Printemps }	FT3001D-A1100010AD	502,36
			Lagon	FT3001D-A1100010AG	338,57
			Plumes	FT3001D-A1100010AE	341,59
			Tissage	FT3001D-A1100010AF	407,70
			Noir Martelé	FT3001D-A1100010AC	352,85



Prices 07/26 in euros
without VAT


Pattern (to be specified when ordering)



Méandres



Forest Automne



Forest Printemps




Lagon



Plumes



Tissage



Noir Martelé

LALIQUE COLLECTION

SPECIFICATIONS

General

- Switches
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 5 mm thick
- With chamfer and screwless
- 2 sizes

Control mechanisms


- Elongated base - Ellipse, Seattle, JMA lever or oblong push button
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES

Sizes (in mm)	Recommended back boxes
88x88 - 88x123	Mixed MELJAC, for dry partition and masonry

How to fix ?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate is magnetized onto the mounting plate.



LALIQUE COLLECTION

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		88x88x5	1 control element	FQ5045L-A1100010	904,11	920,16	968,33	1045,39
		88x123x5	1 control element	FQ5046L-A1100010	1230,63	1248,44	1301,86	1387,33
			2 control elements	FQ5046L-A1100021	1298,92	1320,15	1383,81	1485,67

Control elements





V&V
Inv auto
BP

3 lever designs



Ellipse lever



Seattle lever



JMA lever

options: see page 18

Prices for Ellipse and Seattle toggles only

JMA lever:
30,09 € additional charge

Prices 07/26 in euros
without VAT

PIERROT COLLECTION

SPECIFICATIONS

General

- Switches and sockets
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Toughened glass 4mm thick
- With chamfer and visible screws
- Choice of colour in the RAL colour chart

Control mechanisms

- Round base - Droplet lever or push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES


Sizes (in mm)	Back boxes
Ø98 - 80x80 - 115x80 - 80x142	Mixed MELJAC, for dry partition and masonry





How to fix?


The covering plate is directly screwed onto the back box.



BVCert. 6012053



Diagrams	Back box colour	Size (mm)	Fittings	Reference	Any RAL colour
		80x80x4	1 control element	FP4108A-A1100010	236,07
			2 control elements	FP4108A-A1100021	317,32
		80x80x4	1 PC	FP4108A-B0000010	231,67
			1 RJ45	FP4108A-B0000730	257,09
			1 USB	FP4108A-B0001211	317,78
		Ø98x4	1 control element	FP4109A-A1100010	245,09
			2 control elements	FP4109A-A1100021	326,34
		Ø98x4	1 PC	FP4109A-B0000010	240,69
		80x115x4	1 control element	FP4101A-A1100010	231,74
			2 control elements	FP4101A-A1100020	312,99
		80x142x4	3 control elements in triangle	FP4103A-A1100031	431,98
			4 control elements	FP4103A-A1100040	513,23



LIMOGES CLASSIQUE COLLECTION

SPECIFICATIONS

General

- Switches
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Limoges porcelain 3mm thick
- With straight edges and non-visible screws
- Porcelain glazed (*white colour by default, contact us for other colours*) or biscuit (*white colour only*)

Control mechanisms

- Round base - Droplet lever or push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES


Sizes (in mm)	Type of back box
80x80 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x133	Narrow MELJAC, for masonry only

How to fix?



The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.




BVCert. 6012053



LIMOGES CLASSIQUE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	White colour
		80x80x3	1 control element	FL3008D-A1100010	197,09
			2 control elements	FL3008D-A1100020	299,60
		80x115x3	1 control element	FL3001D-A1100010	204,46
			2 control elements	FL3001D-A1100020	306,97
		80x142x3	3 V&V , Inv auto or BPE in triangle	FL3003D-A1100031	433,08
			3 BP in line	FL3003D-A1100090	
		80x142x3	4 control elements	FL3003D-A1100040	535,59
		38x133x3	1 control element	FL3010D-A1100010	204,46
			2 control elements	FL3010D-A1100020	306,97



Prices 07/26 in euros
without VAT

LIMOGES ELLIPSE COLLECTION

SPECIFICATIONS

General

- Switches
- Protection index: IP20 (*IP21 on request*)
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Limoges porcelain 3mm thick
- With straight edges and non-visible screws
- Porcelain glazed (*white colour by default, contact us for other colours*) or biscuit (*white colour only*)

Control mechanisms

- Elongated base - Straight lever or Seattle lever with lighting option or oblong push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES



Sizes (in mm)	Type of back box
80x80 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x133	Narrow MELJAC, for masonry only

How to fix?




The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.




BVCert. 6012053



LIMOGES ELLIPSE

Diagrams	Back box colour	Size (mm)	Fittings	Reference	White colour
		80x80x3	1 control element	FM3008D-A1100010	197,09
			2 control elements	FM3008D-A1100020	299,60
		80x115x3	1 control element	FM3001D-A1100010	204,46
			2 control elements	FM3001D-A1100020	370,02
		80x142x3	3 V&V , Inv auto or BPE in triangle	FM3003D-A1100031	433,08
			3 BP in line	FM3003D-A1100090	535,59
		80x142x3	4 control elements	FM3003D-A1100040	204,46
		38x133x3	1 control element	FM3010D-A1100010	306,97
			2 control elements	FM3010D-A1100020	



Prices for Ellipse and
Seattle toggles only

JMA lever:
30,09 € additional charge

Prices 07/26 in euros
without VAT

PLEXIGLASS PRODUCTS

SPECIFICATIONS

General

- Switches and sockets
- *Protection index: IP20 (IP21 on request)*
- Products must be installed indoors and earthed (except for low current)
- Cleaning only with a soft and dry duster

Covering plate

- Solid brass 3mm thick
- With chamfer and visible screws
- Transparent

Control mechanisms



- Round base - Droplet lever or push button
- Chrome-plated or golden
- Automatic connection by default, screw connection on request

SIZES & BACK BOXES







Sizes (in mm)	Recommended back boxes
80x80 - 80x115 - 80x142 - 115x80 - 142x80	Mixed MELJAC, for dry partition and masonry
38x91 - 38x133	Narrow MELJAC, for masonry only

How to fix?


The aluminum counterplate equipped with the mechanisms screws directly onto the wall-mounted housing. The plexi cover plate is fixed onto this counterplate with 2 screws. To be fitted beforehand: the cut wallpaper and the card provided.



PLEXIGLASS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Transparent
		80x80x3	1 control element	FX3008A-A1100010ZZ	94,69
			2 control elements	FX3008A-A1100021ZZ	119,25
		80x80x3	1 PC 2x10/16A+T	FX3008A-B0000010ZZ	97,40
		80x80x3	1 RJ45	FX3008A-B0000730ZZ	112,78
			2 RJ45	FX3008A-B0000740ZZ	155,45
		80x80x3	1 Type A USB socket	FX3008A-B0001211ZZ	181,91
			1 double Type A USB socket	FX3008A-B0001221ZZ	189,52
		38x91x3	1 control element	FX3011A-A1100010ZZ	94,69
		38x133x3	2 control elements	FX3010A-A1100020ZZ	114,26
		80x115x3	1 control element	FX3001A-A1100010ZZ	103,27
			2 control elements	FX3001A-A1100020ZZ	127,84
		115x80x3	1 PC 2x10/16A+T	FX3000A-B0000010ZZ	105,99
		115x80x3	1 RJ45	FX3000A-B0000730ZZ	121,37
			2 RJ45	FX3000A-B0000740ZZ	164,04
		115x80x3	1 Type A USB socket	FX3000A-B0001211ZZ	190,49
			1 double Type A USB socket	FX3000A-B0001221ZZ	198,10
		142x80x3	2 PC 2x10/16A+T	FX3002A-B0000020ZZ	156,13
		142x80x3	1 PC + 2 control elements	FX3002A-C0010020ZZ	177,97
		142x80x3	1 PC + 2 RJ45	FX3002A-B0010710ZZ	214,17
		142x80x3	1 PC + 1 double Type A USB socket	FX3002A-B0028911ZZ	248,24

Control elements



V&V

Inv auto

BP

Other types of sockets
available on demand

Other combinations of
mechanisms on request,
Please contact us

Prices 07/26 in euros
without VAT

VOLUMES COLLECTION

SPECIFICATIONS

General

- Switches, bells, power sockets
- Protection index: IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Volume

- Solid brass
- Non-visible screws
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.67)

Control mechanisms



- Round base - Droplet lever or push button
- Chrome-plated on cold and special finishes, golden on warm finishes
Exception: for DOME, 1920, 1951 and rectangular bell block, BP is in the same finish as the object
- Screw connection

SIZES & BACK BOXES

Sizes (in mm)	Recommended back boxes
Macaroons - 1920 - 1930 - 1951 - Dome Square and rectangular bell blocks	LEGRAND 89246, for masonry only
Skate - Palet	LEGRAND 80051, for dry partition only

How to fix?

The mounting plate screws directly onto the back box. Then the volume fitted mechanisms with snaps or screws onto the mounting plate. Except for 1951, 1920, rectangular bell block and macaroon, mechanisms are on the mounting plate.



ORIGINE
FRANCE®
GARANTIE

BVCert. 6012053

VOLUMES

Bells		Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
SQUARE BELL BLOCK			L.48xl.48xH.17	1 BP 12V	FV9000Z-A1100070	283,52	297,70	340,22	408,26
1951			L.55xl.55xH.17	1 BP 12V	FV9001Z-A1100070	563,05	591,20	675,66	810,79
DOME			Ø55xH.36	1 BP 12V	FV9002Z-A1100070	361,74	379,83	434,09	520,91
1920			L.94xl.52xH.20	1 BP 12V	FV9018Z-A1100070	1312,64	1378,27	1575,17	1890,20
IGULAR BELL BLOCK			L.70xl.46xH.17	1 BP 12V	FV9004Z-A1100070	361,74	379,83	434,09	520,91
MACAROON			Ø50xH.23	1 BP 12V	FV9005Z-A1100070	199,31	209,28	239,17	287,00

L : length

W : width


H : height

Prices 07/26 in euros
without VAT

VOLUMES

Volumes to fix		Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
1930			Ø58xH.32	1 V&V 230V	FV9009Z-A1100010	266,37	279,69	319,64	383,57
				1 BP 230V	FV9009Z-A1100070	260,79	273,83	312,95	375,54
SKATE			L.80xl.38xH.110	1 V&V 230V	FV9010Z-A1100010	832,38	874,00	998,86	1198,63
PALET			Ø80xH.19	1 V&V 230V	FV9003Z-A1100010	316,45	332,28	379,74	455,69

Volumes to put on

PYRAMID			B.105xH.60	1 BP 12V	FV9006Z-A1100070	1138,46	1195,38	1366,15	1639,38
			L.70xl.42xH.36	1 BP 230V	FV9007Z-A1100070	361,74	379,83	434,09	520,91
PAPER-WEIGHT			L.103xl.42xH.36	2 BP 230V	FV9008Z-A1100080	439,72	461,71	527,66	633,19
			L.106xl.42xH.36	3 BP 230V	FV9011Z-A1100090	526,16	552,47	631,39	757,67

L : length


W : width

H : height

B : base

Prices 07/26 in euros
without VAT

VOLUMES

Models to fix		Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
Pyramid		B :L.180xL.180 H.146	4 sided power strip 2 PC + 1 RJ45 + 1 Double USB	FV9042Z-B1214300	1240,97	1303,02	1489,16	1786,99
Z		L.268xL.114 H.139	Power strip 1 PC 2x10/16A+T + 1 universal outlet + 2 USB + 1 RJ45 Cable 2 m	FV9044Z-B1302010	2484,51	2608,74	2981,41	3577,69
Pupitre		L.200xL.106 H.90	1 PC + 1 universal outlet + 1 double USB	FV9039Z-B1001500	1092,46	1147,08	1310,95	1573,14
CHARGEUR IPAD		L.140xL.142 H.119	Ipad charger support Interchangeable connector compatible with Ipad and Ipad mini	FV9026Z-B0002130	1087,86	1142,25	1305,43	1566,52

Other combinations on request. (PC, RJ45, USB, V&V, BP...), contact us

L : length

W : width

H : height

B : base

Prices 07/26 in euros
without VAT

SOL COLLECTION

SPECIFICATIONS

General

- Sockets with water-resistant cover
- Protection index: IP44
- Products must be installed indoors and earthed (*except for low current*)
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 10mm thick (*14mm for international*)
- With straight edges and non-visible screws
- Water-resistant cover(s)
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.67)

SIZES & BACK BOXES


Sizes (in mm)	Back boxes
Ø100 - 100x100 - 180x100 - 180x200	Water-resistant MELJAC with installation template, for masonry only



How to fix?

The back box + installation template set must be sealed flush with the floor.
Then the installation template must be replaced by the covering plate with mechanisms and screws.





BVCert. 6012053



Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		100x100x10	1 PC 2x10/16A+T	FS1000D-B0000010	670,04	703,54	804,05	964,86
			1 RJ45	FS1000D-B0000730	761,33	799,40	913,60	1096,32
			1 TV outlet	FS1000D-B0001700	797,35	837,22	956,82	1148,18
			2 TV outlets	FS1000D-B0001710	806,10	846,41	967,32	1160,78
		Ø100x10	1 PC 2x10/16A+T	FS1003D-B0000010	663,93	697,13	796,72	956,06
			1 RJ45	FS1003D-B0000730	755,24	793,00	906,29	1087,55
			1 TV outlet	FS1003D-B0001700	791,25	830,81	949,50	1139,40
			2 TV outlets	FS1003D-B0001710	799,99	839,99	959,99	1151,99
		180x100x10	2 PC 2x10/16A+T	FS1001D-B0000020	1109,12	1164,58	1330,94	1597,13
			2 RJ45	FS1001D-B0000740	1291,73	1356,32	1550,08	1860,10
			2 TV outlets	FS1001D-B0001710	1363,75	1431,94	1636,50	1963,80
			1 PC + 1 RJ45	FS1001D-B0010640	1200,42	1260,44	1440,50	1728,60
			1 PC + 1 TV outlet	FS1001D-B0058240	1236,43	1298,26	1483,72	1780,46
			1 RJ45 + 1 TV outlet	FS1001D-B0060760	1327,73	1394,12	1593,28	1911,94
		180x200x10	4 PC 2x10/16A+T	FS1002D-B0000040	2156,29	2264,10	2587,55	3105,06
			2 PC + 2 RJ45	FS1002D-B0010720	2338,90	2455,85	2806,68	3368,02
			3 PC + 1 RJ45	FS1002D-B0010660	2247,60	2359,98	2697,12	3236,54
			2 PC + 2 TV outlets	FS1002D-B0052720	2410,94	2531,49	2893,13	3471,76
			3 PC + 1 TV outlet	FS1002D-B0052660	2283,61	2397,79	2740,33	3288,40

Prices 07/26 in euros
without VAT

SOL - EXPORT STANDARD SOCKETS

Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		100x100x14	1 PC Schuko	FS1400D-B0000250	738,19	775,10	885,83	1063,00
			1 RJ45	FS1400D-B0000730	825,66	866,94	990,79	1188,95
			1 TV outlet	FS1400D-B0001700	861,68	904,76	1034,02	1240,82
			2 TV outlets	FS1400D-B0001710	1008,76	1059,20	1210,51	1452,61
		Ø100x14	1 PC Schuko	FS1403D-B0000250	689,33	723,80	827,20	992,64
			1 RJ45	FS1403D-B0000730	776,79	815,63	932,15	1118,58
			1 TV outlet	FS1403D-B0001700	812,80	853,44	975,36	1170,43
			2 TV outlets	FS1403D-B0001710	821,54	862,62	985,85	1183,02
		180x100x14	2 PC Schuko	FS1401D-B0000260	1208,08	1268,48	1449,70	1739,64
			2 RJ45	FS1401D-B0000740	1383,01	1452,16	1659,61	1991,53
			2 TV outlets	FS1401D-B0001710	1455,05	1527,80	1746,06	2095,27
			1 PC Schuko + 1 RJ45	FS1401D-B0011480	1295,55	1360,33	1554,66	1865,59
			1 PC Schuko + 1 TV outlet	FS1401D-B0059080	1331,56	1398,14	1597,87	1917,44
			1 RJ45 + 1 TV outlet	FS1401D-B0060760	1419,03	1489,98	1702,84	2043,41
		180x200x14	4 PC Schuko	FS1402D-B0000280	2323,91	2440,11	2788,69	3346,43
			2 PC Schuko + 2 RJ45	FS1402D-B0011560	2498,83	2623,77	2998,60	3598,32
			3 PC Schuko + 1 RJ45	FS1402D-B0011500	2411,37	2531,94	2893,64	3472,37
			2 PC Schuko + 2 TV outlets	FS1402D-B0059160	2594,48	2724,20	3113,38	3736,06
			3 PC Schuko + 1 TV outlet	FS1402D-B0059100	2447,39	2569,76	2936,87	3524,24

To integrate any other mechanism, contact us.

Prices 07/26 in euros without VAT

READING LAMPS

SPECIFICATIONS

General

- Protection index : IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3 mm thick and 5,5 mm thick (Cannelée)
- With chamfer and straight edges (except Cannelée and Solaris collections, with or without visible screws depends on the collection)
- Finishes : Every finishes available except for Cannelée and Solaris collections (p.67)

Technical informations


- non variable LED
- Lighting (provided) : 230V - 2W
- Beam : 60° for Roseau model and 45°, 60° (default) or 110° for Tulipe model, 30° for Bambou model
- Lighting shade : warm white (3000K) or cold white (4000K)
- Flexible arm : with or without a 135° bend connection (except Bambou)

SIZES & BACK BOXES

Sizes (in mm)	Type of back box
80x80 - 80x115 - 80x142 - 80x205	Mixed MELJAC, for dry partition and masonry
38x175	Narrow MELJAC, for masonry only
Cannelée : 80x80 - 151x80	LEGRAND 80051 / LEGRAND 80052
Solaris : 84x84 - 84x144	Mixed MELJAC, for dry partition and masonry


How to fix ?

With visible screws : The mounting plate with mechanisms screws directly onto the back box.
Screwless : The covering plate snaps onto the mounting plate.




BVCert. 6012053


4 reading lamps models



Tulipe straight cone*



Tulipe bevelled cone*




Roseau *



Bambou

Available in 5 brass collections

* 2 type of flexible arm



flexible arm 0°



flexible arm 135°



Classique



Ellipse



Damier




Cannelée



Solaris

TULIPE STRAIGHT CONE

Diagrams	Back box colour	Collection	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
Simple reading lamp 		Classique	80x80x3	/	FC3008A-M1000020	418,45	439,38	502,14	602,57
		Ellipse							
		Damier							
		Solaris	84x84x3		FJ3208M-M1000020	469,71	493,20	563,65	676,38
		Cannelée	80x80x5,5		FW5017K-M1000020	419,57	440,55	503,48	604,18
Reading lamp + 1 control element 		Classique	80x115x3	1 control element	FC3001A-M1000080	451,59	474,17	541,91	650,29
		Ellipse			FE3001B-M1000080	495,96	520,76	595,15	714,18
		Damier			FK3001A-M1001410	502,64	527,78	603,17	723,80
		Solaris	84x84x3		FJ3208M-M1000080	572,48	601,11	686,98	824,37
		Cannelée	151x80x5,5		FW5022K-M1000130	583,53	612,71	700,24	840,28
Reading lamp + 2 control elements 		Classique	80x115x3	2 control elements	FC3001A-M1000380	476,15	499,96	571,38	685,66
		Ellipse			FE3001B-M1000380	564,91	593,16	677,89	813,47
		Damier			FK3001A-M1001280	537,75	564,64	645,30	774,36
		Solaris	84x120x3		FJ3201M-M1000370	687,58	721,96	825,10	990,12
		Cannelée	151x80x5,5		FW5022K-M1000370	685,17	719,43	822,20	986,64
Reading lamp + 1 socket 		Classique	80x142x3	1 socket	FC3003A-M1001270	477,16	501,02	572,59	687,11
		Ellipse							
		Damier							
		Solaris	84x144x3		FJ3203M-M1001270	538,65	565,59	646,38	775,66
		Cannelée	151x80x5,5		FW5022K-M1001270	521,28	547,35	625,54	750,64

See technical informations from page 68

Other sizes and possible combinations, please contact us

Prices 07/26 in euros without VAT


TULIPE BEVELED CONE

Diagrams	Back box colour	Collection	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
Simple reading lamp 		Classique	80x80x3	/	FC3008A-M1000020	418,45	439,38	502,14	602,57
		Ellipse							
		Damier							
		Solaris	84x84x3		FJ3208M-M1000020	469,71	493,20	563,65	676,38
		Cannelée	80x80x5,5		FW5017K-M1000020	419,57	440,55	503,48	604,18
Reading lamp + 1 control element 		Classique	80x115x3	1 control element	FC3001A-M1000110	451,59	474,17	541,91	650,29
		Ellipse			FE3001B-M1000110	495,96	520,76	595,15	714,18
		Damier			FK3001A-M1001410	502,64	527,78	603,17	723,80
		Solaris	84x84x3		FJ3208M-M1000080	572,48	601,11	686,98	824,37
		Cannelée	151x80x5,5		FW5022K-M1000130	583,53	612,71	700,24	840,28
Reading lamp + 2 control elements 		Classique	80x115x3	2 control elements	FC3001A-M1000410	476,15	499,96	571,38	685,66
		Ellipse			FE3001B-M1000410	564,91	593,16	677,89	813,47
		Damier			FK3001A-M1001280	537,75	564,64	645,30	774,36
		Solaris	84x120x3		FJ3201M-M1000370	687,58	721,96	825,10	990,12
		Cannelée	151x80x5,5		FW5022K-M1000370	685,17	719,43	822,20	986,64
Reading lamp + 1 socket 		Classique	80x142x3	1 socket	FC3003A-M1001270	477,16	501,02	572,59	687,11
		Ellipse							
		Damier							
		Solaris	84x144x3		FJ3203M-M1001270	538,65	565,59	646,38	775,66
		Cannelée	151x80x5,5		FW5022K-M1001270	521,28	547,35	625,54	750,64

See technical informations from page 68

Other sizes and possible combinations, please contact us

Prices 07/26 in euros without VAT

Diagrams	Back box colour	Collection	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
Simple reading lamp 		Classique	80x80x3	/	FC3008A-M2000020	353,70	371,39	424,44	509,33
		Ellipse							
		Damier							
		Solaris	84x84x3		FJ3208M-M2000020	404,98	425,23	485,98	583,17
		Cannelée	80x80x5,5		FW5017K-M2000020	354,84	372,59	425,81	510,97
Reading lamp + 1 control element 		Classique	80x115x3	1 control element	FC3001A-M2000080	386,86	406,20	464,23	557,08
		Ellipse			FE3001B-M2000080	431,23	452,79	517,48	620,98
		Damier			FK3001A-M2100410	437,91	459,81	525,49	630,59
		Solaris	84x84x3		FJ3208M-M2000080	507,76	533,15	609,31	731,17
		Cannelée	151x80x5,5		FW5022K-M2000070	518,80	544,74	622,56	747,07
Reading lamp + 2 control elements 		Classique	80x115x3	2 control elements	FC3001A-M2000380	411,43	432,00	493,72	592,46
		Ellipse			FE3001B-M2000380	500,17	525,18	600,20	720,24
		Damier			FK3001A-M2100360	473,02	496,68	567,62	681,15
		Solaris	84x120x3		FJ3201M-M2000370	622,85	654,00	747,42	896,90
		Cannelée	151x80x5,5		FW5022K-M2000370	620,44	651,47	744,53	893,43
Reading lamp + 1 socket		Classique	80x142x3	1 socket	FC3003A-M2100460	412,42	433,05	494,90	593,88
		Ellipse							
		Damier							
		Solaris	84x144x3		FJ3203M-M2100460	473,92	497,62	568,70	682,44
		Cannelée	151x80x5,5		FW5022K-M2100460	456,55	479,38	547,86	657,43

See technical informations from page 68

Other sizes ans possible combinations, please contact us

Prices 07/26 in euros without VAT

Diagrams	Back box colour	Collection	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
Simple reading lamp 		Classique	80x80x3	/	FC3008A-M4000010	328,52	344,95	394,22	473,07
		Ellipse							
		Damier							
		Solaris	84x120x3		FJ3201M-M4000010	392,12	411,73	470,54	564,65
Reading lamp + 1 control element 		Classique	38x175x3	1 control element	FC3012A-M4000020	384,52	403,75	461,42	553,71
		Ellipse			FE3012A-M4000020	428,89	450,34	514,67	617,60
		Damier			FK3012A-M4000070	435,57	457,35	522,68	627,22
		Solaris	84x120x3		FJ3201M-M4000090	494,89	519,64	593,87	712,64
Reading lamp + 1 socket		Classique	80x205x3	1 socket	FC3005A-M4000060	456,52	479,35	547,82	657,39
		Ellipse							
		Damier							
		Solaris	210x84x3		FJ3205A-M4000060	523,88	550,08	628,66	754,39

See technical informations from page 68

Other sizes and possible combinations, please contact us

Prices 07/26 in euros without VAT

SPOTLIGHT COLLECTION

SPECIFICATIONS

General

- Recessed spotlights for false ceiling
- Protection index: IP54 CLASS II
- Products must be installed indoors in a false ceiling and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges, without screws
- Standard sizes: 58x58 mm and Ø58 mm
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil... (p.67)

Technical specifications


- Direct or asymmetric LED lighting
- Power: 230V - 5W
- Beam angle: 24°.
- Light color: warm white (2700K) or cool white (4000K)

How to fix?

The transformer is fixed in the false ceiling.
The cover plate snaps onto the spotlight.



Mini Spot



Straight edges covering plate



BVCert. 6012053

SPOTLIGHTS

	Diagrams	Installation	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
DIRECT LIGHTING									
SQUARE		Ceiling cut Ø45mm	58x58x3	Mini Spot 2700K-warm	FB3013C-Z5000010				
						162,10	170,21	194,52	233,42
				Mini Spot 4000K-cold	FB3013C-Z5000020				
ROUND		Ceiling cut Ø45 mm	Ø58x3	Mini Spot 2700K-warm	FB3014C-Z5000010				
						165,68	173,96	198,82	238,58
				Mini Spot 4000K-cold	FB3014C-Z5000020				
ASYMMETRIC LIGHTING									
SQUARE		Ceiling cut Ø45 mm	58x58x3	Mini Spot 2700K-warm	FB3013C-Z5000011				
						162,10	170,21	194,52	233,42
				Mini Spot 4000K-cold	FB3013C-Z5000021				
ROUND		Ceiling cut Ø45 mm	Ø58x3	Mini Spot 2700K-warm	FB3014C-Z5000011				
						165,68	173,96	198,82	238,58
				Mini Spot 4000K-cold	FB3014C-Z5000021				

Direct lighting



Asymmetric lighting



Both models are available
with white or black interior,
to specify

Prices 07/26 in euros
without VAT

CRESTRON CONNECTED COLLECTION

SPECIFICATIONS

General

- Collection designed for direct connection to the Crestnet bus
- Push buttons
- Protection index: IP20
- Products must be installed indoors and earthed
- Cleaning only with a soft and dry duster, no product

Covering plate

- Solid brass 3mm thick
- With straight edges and non-visible screws
- Finishes: Nickel, Chrome, Bronze médaille, Cuivre, Doré, Canon de fusil...

Control mechanisms

- Push buttons Ø12 mm, 2 mm thick
- In the same finish as the covering plate
- Led feedback for each button
- Circuit board with integrated Crestron chip

SIZES & BACK BOXES

Sizes (in mm)


80x115

Recommended back boxes

Mixed MELJAC, for dry partition and masonry

How to fix?

The mounting plate with mechanisms screws directly onto the back box.
The covering plate snaps onto the mounting plate.




BVCert. 6012053

CRESTRON CONNECTED


Diagrams	Back box colour	Size (mm)	Fittings	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding
		80x115x3	1 BP	FO3001C-K2500410	442,94	465,09	531,53	637,84
		80x115x3	2 BP	FO3001C-K2500420	479,75	503,74	575,70	690,84
		80x115x3	3 BP	FO3001C-K2500430	516,56	542,39	619,87	743,84
		80x115x3	6 BP	FO3001C-K2500460	626,99	658,34	752,39	902,87

Prices 07/26 in euros
without VAT

Control elements examples with options



Fittings	Reference	Price from
2 BP	FO3001C-K2500420	479,75
Engraving 1 word	FZ9999Z-ZGR0001M99	+ 11,13
Engraving 1 additional word	FZ9999Z-ZGR1001M99	+ 11,13



Fittings	Reference	Price from
3 BP	FO3001C-K2500430	516,56
Engraving 1 symbol	FZ9999Z-ZGR0001S99	+ 11,13
Engraving 1 additional symbol	FZ9999Z-ZGR1001S99	+ 11,13
Engraving 1 pictogram	FZ9999Z-ZGR0001P99	+ 11,13

Direction of covering plate

All MELJAC products fix onto back boxes.

The screws are supplied in the same finish as plates.

By default, the axis of the cover plate screws is:

- vertical for control mechanisms (V&V, BP, BPE...)
- horizontal for sockets
- horizontal for 80x80 and Ø98 sizes

Colour of switches

On brass, the switches are:

- chrome-plated on cold and special finishes
- golden on warm finishes

Mini mechanisms (12V) are chrome-plated only

Switches are chrome-plated or golden for glass, porcelain and plexiglass.

Accessories in the same finish as the plate:

- rotary buttons for variation
- caps of mini push buttons
- square push buttons from DAMIER collection
- bell buttons of Dome, 1951, 1920 and rectangular block
- cable lead-out (cable outputs, markings)

Light label holder

Two shapes are available. Specify when ordering: rectangular or elliptical.

Position of indicators, engravings (simple, complex, light...) and light label holder

By default, MELJAC selects the most harmonious position for fittings on the covering plate.

Care instructions

Products must be installed indoors

Cleaning only with a soft and dry duster, no product

Standards

MELJAC creations are protected in France and abroad by the copyright, the registration of models and several patents.

Probate by the norms:

- NF EN 60669-1 + A1 for switches, push buttons and reversers.
- NF C 61314 for power sockets.

For probates in process, contact us.

Following the established standard NF C 15100, each plate has to be connected to earth.

Each pattern is outfitted with a patented system of connection to earth.

Stamping CE.

Protection index: IP20 except for Sol collection IP44 and water resistant spotlights IP54 CLASS II.

Care instructions

Metal-coated surfaces must be cleaned with a soft and dry duster only, no product.

All the products must be installed indoors.

SAMPLE BOX & TUBES

Prices and delivery time upon request



The box contains the standard finishes.

*Actual products may differ from photos

MATERIALS & FINISHES

The collections CLASSIQUE, ELLIPSE, DAMIER, ELLIOT, CANNELÉE, SOLARIS, SOL with water-resistant cover, VOLUMES, SPOTS and LAMPES are made in brass. The finishes are obtained by electrolysis.

The PIERROT collection is in toughened extra white glass. The paint is applied at the rear and highlighted by the transparency and thickness of the glass.

The LIMOGES collections are in Limoges Porcelain.

Material & fittings	Finish & description
TF Brass Cold finishes <i>With chrome-plated V&V, BP, BPE and Inv</i>	Nickel Brossé (FA) <i>Stainless-steel aspect.</i>
	Nickel Brillant (FB) <i>Mirror effect, tone slightly hotter than chrome.</i>
	Microbillé Nickel (FC) <i>Sandy surface, matt varnish.</i>
	Chromé Mat (FD) <i>Linear brushing. Bluish grey hue.</i>
	Chromé Vif (FE) <i>Mirror with bluish sheens.</i>
	Canon de Fusil Anthracite (FF) <i>Brushing. Dark grey tone, tend toward brown.</i>
	Canon de Fusil Sablé (FH) <i>Granite aspect. Dark grey tone.</i>
TC Brass Warm finishes <i>With golden V&V, BP, BPE and Inv</i>	Bronze Médaille Clair (CA) <i>Golden bronze slightly brushed. Satiny varnish.</i>
	Bronze Médaille Clair Vernis Mat (CB) <i>Golden bronze slightly brushed. Matt varnish.</i>
	Bronze Médaille Allemand (CC) <i>Linear brushing, medium bronze.</i>
	Bronze Médaille Foncé (CD) <i>Dark brown hue.</i>
	Champagne (CE) <i>Brushed brass. Matt varnish.</i>
	Doré Patiné (CF) <i>Gold yellow hue. Slightly brushed and satiny varnish.</i>

Meljac can carry out special finishes on demand (example: different types of gilding, etc.) or customised.

Available finishes on collection Cannelée

Available finishes on collection Solaris

Material & fittings	Finish & description
TS Brass Special finishes <i>With chrome or gilding controls</i>	Nickel Noir Brillant (SA)
	Nickel Noir Mat (SB)
	Microbillé Chromé (SF)
	Argent Patiné (SE)
	Cuivre Patiné (SG)
	Cuivre Vieilli Bouchonné (SH)
	Cuivre Satiné (SI)
	Microbillé Canon de Fusil Anthracite (SM)
	Ebène (SQ)
	Canon de Fusil Belge (SP)
	Laiton Vieilli Ciré (SR)
	Étain Moyen (SS)
	Cuivre Antique (ST)
D Shiny Gilding	Antique Brass NA (SU)
	Black Stone Chelsea (SV)
Epoxy Brass / Glass RAL colours <i>With chrome-plated or golden V&V, BP, BPE and Inv</i>	Gilding 1 shiny (1N)
	RAL colours (RL) Selection in the RAL colour chart (K7 classic) Specify name and number
Limoges Porcelain <i>With chrome-plated V&V, BP, BPE and Inv</i>	White Glazed (LA) <i>Shiny surface</i> Other colours on request. Custom designs possible
	White Biscuit (LB) <i>Matt sandblasted surface</i> Custom designs possible

OPTIONS (ENGRAVING, TOGGLE WITH COATING)

These options are sold separately, so do not forget to specify them at the order.


	Type of option	Designation	Reference	Price
	Engraving : - standard font: Helvetica uppercase height 4mm - Russian standard font: Arial Narrow 4 mm - word, figure, symbol, triangle = simple symbol - pictogram = complex symbol	Engraving 1 word	FZ9999Z-ZGR0001M99	11,13
		Engraving 1 figure	FZ9999Z-ZGR0001C99	
		Engraving 1 symbol	FZ9999Z-ZGR0001S99	
		Engraving 1 pictogram	FZ9999Z-ZGR0001P99	
	Engraving triangles: per pair, on both sides of the switch (standard position: up/down)	Engraving 2 triangles	FZ9999Z-ZGR0002T99	22,26
	Laser engraving (<i>contact us for existing designs, we can also create new</i>)	Laser engraving 1 word	- - -	Please contact us
	Silkscreen printing (words, symbols, pictograms, photographs...)	Silkscreen printing	- - -	Please contact us
	Resin (<i>specify colour</i>)	Resin engraving 1 word	FZ9999Z-ZR00001M99	17,81
		Resin engraving 1 symbol	FZ9999Z-ZR00001S99	
		Resin engraving 1 pictogram	FZ9999Z-ZR00001P99	
	Light engraving	Light ribbon supplied in 12V or 24V (Colour of your choice)	FZ9999Z-ZGLU000199	66,78
		Additional light ribbon supplied in 12V or 24V (Colour of your choice)	FZ9999Z-ZGLU100199	

	Mirror-polished oblong base In bright chrome or gold for Ellipse lever switches	Mirror-polished	FZPLVAZ-Z0000050ZZ	41,67
	JMA lever switch subject to additional charge With oblong base	JMA lever	FZPLVAZ-Z0000040ZZ	30,09
	Additional charge for mechanism processing Processing possible on request for V&V, BP and Inv switches.	Processed mechanisms	FZPLVAZ-Z0000010ZZ	18,52
	Additional charge for black mechanism processing Processing possible on request for V&V, BP and Inv switches.	Processed black mechanisms	FZPLVAZ-Z0000010ZZ	9,48

Prices 07/26 in euros
without VAT

Examples of engravings

Words



1



2



3



4

Symbols
Numbers



1



2



3



4

- 1 Mechanical engraving
- 2 Engraving + resin
- 3 Screen printed
- 4 Bright cut engraving



Bespoke engraving

OPTIONS (LED INDICATORS, BACK-LIGHTING)

These options are sold separately, so do not forget to specify them at the order.

	Type of option	Designation	Reference	Price
	LED Indicator - Ø 3 mm - LED colour : Warm white, Blue, Pure Green, Yellow Green, Yellow, Orange, Red White cold	LED D3 30V-1mA (automation) LED D3 12V-1mA LED D3 24V-1mA LED D3 230V-1mA	FZLED0Z-Z00D303099 FZLED1Z-Z00D301299 FZLED1Z-Z00D302499 FZLED2Z-Z00D323099	18,13
	Oblong light base LED light strip Several colours available Interior lighting of toggle base is not available in the Cannelée collection.	LED D3 12V-1mA for Ellipse collection LED D3 24V-1mA for Ellipse collection LED D3 230V-1mA for Ellipse collection	FZLED3Z-Z00D301299 FZLED3Z-Z00D302499 FZLED3Z-Z00D323099	22,91
	Back-lighting of Damier buttons Illuminated button surround Several colours available	1 colour (12V 1mA)	FZLEDZ-Z001RT01299	30,31
		1 colour (24V 1mA)	FZLEDZ-Z001RT02499	
		1 colour (12V 1mA) night brightness	FZLEDZ-Z002RT01299	38,08
		1 colour (24V 1mA) night brightness	FZLEDZ-Z002RT02499	
		2 colours (12V 1mA)	FZLEDZ-Z003RT01299	42,14
		2 colours (24V 1mA)	FZLEDZ-Z003RT02499	
		2 colours (12V 1mA) night brightness	FZLEDZ-Z004RT01299	46,19
		2 colours (24V 1mA) night brightness	FZLEDZ-Z004RT02299	

Prices 07/26 in euros
without VAT

Examples of indicator options


LED indicators



Oblong light base
Ellipse collection



Backlighting
Damier collection



MECHANISMS CONTROLS, READING LAMPS

Type	Abbreviations	Symbole	Designation	Technical specifications
Switches <i>buttons and levers are chrome-plated on cold and special finishes, golden on warm finishes</i>	V&V		Toggle switch	Lever wired in one-way switch or two-way switch between 2 ignition points - automatic connection (default): 6A/250V - screw connection (on request): 6A/250V
	BP		Push button	Button wired in dimmer, one-way switch or two-way switch between 2 or more ignition points - automatic connection (default): 6A/250V - screw connection (on request): 2A/250V It MUST work with a teleruptor or a dimmer in the electrical equipment box
	BPE		Latching push button	Latching button wired in one-way switch or two-way switch between 2 ignition points - automatic connection ONLY: 6A/250V
	Inv Auto		Automatic Reverser	Three-position lever for roller shutters (2 positions + automatic return to 0) Possibility to control lighting - automatic connection (default): 6A/250V - screw connection (on request): 6A/250V Also available in manual for roller shutters only (manual return to 0)
	Mini BP		Mini push button	Button wired in dimmer, one-way switch or two-way switch between 2 or more ignition points - connection to weld: 12V It MUST work with a teleruptor or a dimmer in the electrical equipment box Silent mini BP, available on request
	square BP		Square push button	Button wired in dimmer, one-way switch or two-way switch between 2 or more ignition points - screw connection ONLY: 12V or 230V It MUST work with a teleruptor or a dimmer in the electrical equipment box
	---		Motion detector	Automatic switch - 240V - Model LEGRAND 67026 Lighting control, manual by On/Off push buttons or automatic by infrared detection
Variation	Var E Rotary dimmer		SCHNEIDER NU3514 model	200W- Universal. For LED, incandescent, halogen and transformer lamps. For use with a dimmer switch (push button).
			SCHNEIDER S520519 model	200W- Universal. For LED, incandescent, halogen and transformer lamps. For use with a toggle switch. A 60mm deep back box is recommended.
	Room thermostat		LEGRAND 76720 model	Room thermostat, optional hot/cold selector available Suitable for controlling heated ceilings and underfloor heating from 5°C to 30°C with an accuracy of +/- 0,5°C
Reading lamps	---	---	Tulip and Roseau reading lamp	Wall lamp : - Lighting (provided): 1,4 W LED (Tulipe model: 110 lumens, Roseau model: 150 lumens), supplied by a 350 mA electronic converter - Beam: 60° for Roseau model and 45°, 60° (default) or 110° for Tulipe model - Lampshade : straight or beveled cone for Tulipe model - Flexible arm : 25 cm with or without a 135° bend connection
	---	---	Bambou reading lamp	- Lighting (provided): 1,0 W LED supplied by a 350 mA electronic converter - Beam : 30° - Lampshade: D25x95mm - Color temperature: 3000K / 4000K

Mechanisms provided (since 2010)

Automatic connection
(by default)



Screw connection
(on request)



Former mechanism

Screw connection
only




Connection

Use rigid cable of section 1,5 mm² stripped on 13 mm for automatic connection or 10 mm for screw connection



V&V
wired in ON/OFF function



BP
wired in ON/OFF function



BPE
wired in two-way function




Inv Auto

MECHANISMS OUTLETS (high voltage, low voltage)

Type	Abbreviations	Symbole	Designation	Technical specifications
Power socket	PC		Power socket	French model 2x10/16A+T with child security Sockets are black by default, off-white on request
	Universal PC		Wonpro power socket	Wonpro R45 model. Universal socket 2x16A+T with child security Sockets are black by default, off-white on request Prior agreement from a control authority required
	PC Schuko		Schuko power socket	German / european model 2x10/16A+T with child security Sockets are black by default, off-white on request
	PC Bipasso		Bipasso power socket	Italian model 2x10/16A+T with child security
	PC Unel		Unel power socket (Schuko + Bipasso)	European model 2x10/16A+T with child security Sockets are black by default, off-white on request
Phone/Data Connection	RJ45 without PE		Data socket without white label holder	Model SCHNEIDER RJ1772XB12 Category 6a FTP socket
Connexion Audio/Vidéo	DIN base		Audio connector	3-pin female base (male plug on request)
	Speaker		Speaker socket	Model LEGRAND 67311 - Terminal with push/release connectors
	Flush RCA		Audio/video connector	D-serie female base
	HDMI		HD audio/video connector	Female/female connector
TV Connection	TV-FM-SAT		TV, radio and satellite antennas socket	
	TV outlet		TV antenna socket	
IT-connection	USB power		USB A power socket	- Simple : Model LEGRAND 77591 - 7,5W - Double : Model LEGRAND 67462 - 15W
			USB C power socket	- Simple : Model LEGRAND 77690 - 20W
				- Simple : Model LEGRAND CM0156 - 45W
				- Simple : Model SCHNEIDER S540406 - 65W
			USB A+C power socket	- Double : Model LEGRAND CM0158 - 30W Model NIKO 420-00513 - 17,5W
Others	---		Shaver socket	Model VIMAR 20290 It can work with european, american, british and australian plugs
	---		Cable outlet	Specify diameter
	---		Cable lead-out	Specify diameter (12mm max)


PC or PC Schuko : automatic connection



Use rigid cable of section 2,5 mm²
stripped on 13 mm



How to extract cable



Renovation

Since 2016, MELJAC products are fitted with
a new socket mechanism (France or Schuko)
that takes less space.



CLASSIQUE collection plates 80x80mm can be
mounted on most of the existing back boxes
in renovation.

BACK BOXES

All MELJAC products are fixed onto back boxes. Screws are supplied in same finish as plates.

MELJAC designs its own back boxes and continues to develop new series in line with its ranges.

Type of back box	Back box overview	Back box colour	Reference	Compatible with...	Overall dimensions (L. x W. x D. in mm)	Price
Mixed MELJAC back boxes for CLASSIQUE, ELLIPSE, DAMIER, SOLARIS, TOURNAIRE, STUDIO, LALIQUE and PIERROT collections Mixed models are used in masonry and dry partition with an additional kit to maintain back box into the wall.			CBBOICZ-Z080800299	Plates 80x80, 84x84, 88x88 and Ø98 mm	71x69x50 Screws interaxis 60 mm	4,76
			CBBOICZ-Z115800199	Plates 115x80, 120x84, 85x115 et 88x125 mm	97x69x50 Screws interaxis 88 mm	5,13
			CBBOICZ-Z142800199	Plates 142x80 and 144x84 mm	128x69x50 Screws interaxis 117 mm	5,58
			CBBOICZ-Z205800199	Plates 205x80 and 210x84 mm	190x69x50 Screws interaxis 180 mm	6,96
			CBBOICZ-Z267800199	Plates 267x80 mm	252x69x50 Screws interaxis 242 mm	9,19
Kit for back box adaptation in DRY PARTITION		- - -	CBBOICZ-Z0MELKIT99	Plates 80x80, Ø98, 115x80, 142x80, 205x80 and 267x80 mm		1,83
Partition to separate the high and low currents	- - -	- - -	CBAENT-MEL50500099	Plates 142x80, 205x80 and 267x80 mm		0,83
Narrow MELJAC back boxes for CLASSIQUE, ELLIPSE AND VOLUMES collections Designed for narrow plates, they may be used in masonry only and must be sealed.			CBBOICZ-Z091380199	Plates 38x91 mm and doorbell 1920	76x37x45 Screws interaxis 66 mm	4,70
			CBBOICZ-Z133380199	Plates 38x133 mm	118x37x45 Screws interaxis 108 mm	4,85
			CBBOICZ-Z175380199	Plates 38x175 mm	160x37x45 Screws interaxis 150 mm	5,01
Extension pieces for back boxes	- - -		CBBMELB-MEL080REH	Plates 80x80 mm		4,76
	- - -		CBBMELB-MEL115REH	Plates 115x80 mm		4,76
	- - -		CBBMELB-MEL142REH	Plates 142x80 mm		4,76
	- - -		CBBMELB-MEL205REH	Plates 205x80 mm		4,59
	- - -		CBBMELB-MEL267REH	Plates 267x80 mm		4,59

L : length

W : width

D : depth

Prices 07/26 in euros
without VAT

BACK BOXES

Type of back box	Back box overview	Back box colour	Reference	Compatible with...	Overall dimensions (L. x W. x D. in mm)	Price
Back boxes for VOLUMES and CANNELÉE collections LEGRAND 80051, for dry partition only. LEGRAND 80052, for dry partition only. LEGRAND 89246, for masonry only, must be sealed .			CBBBOIL-8005100099	Oval, hexagonal and octagonal plates, Skate, Palet Plates 80x80 of the Cannelée collection	Ø 67xP.50 mm	5,40
			CBBBOIL-8005200099	Plates 151x80 of the Cannelée collection	Ø 2x67 xP.50 mm	23,40
			CBBBOIL-8924600099	Plates Ø 56 mm and 56x56 mm, Macaroons, 1930, 1951, Dome, square and rectangular bell blocks	Ø 47xP.40 mm	8,97
Water-resistant MELJAC back boxes with installation template for SOL collection To install the products with water-resistant cover, installation templates corresponding to the final dimensions of the plates are provided. They are mounted on back boxes for masonry only and must be sealed . The templates allow perfect placement of the back box so that the plate lies flush with the floor.			CBBOISZ-Z10D100199 CBBOISZ-Z14D100199	Plates Ø 100x10 mm Plates Ø 100x14 mm	Ø 100x60 Ø 100x64	7,35
			CBBOISZ-Z10L100199 CBBOISZ-Z14L100199	Plates 100x100x10 mm Plates 100x100x14 mm	100x100x60 100x100x64	7,35
			CBBOISZ-Z10L180199 CBBOISZ-Z14L180199	Plates 180x100x10 mm Plates 180x100x14 mm	180x100x60 180x100x64	11,11
			CBBOISZ-Z10L180299 CBBOISZ-Z14L180299	Plates 180x200x10 mm Plates 180x200x14 mm	180x200x60 180x200x64	22,24

Renovation



Some models of CLASSIQUE and ELLIPSE collections are compatible with the existing standard back boxes (please contact us).
 MELJAC also proposes bespoke products for an installation on other back boxes.

Prices 07/26 in euros
without VAT

NON-VISIBLE SCREWS OPTION

The screwless option adds a supplement corresponding to the price of the backplate that needs to be fixed to the back box.
This option is only available for the CLASSIQUE and ELLIPSE collections. It is not available for the other brass collections which are already screwless (DAMIER, ELLIOT, CANNELEE, SOL and VOLUMES) or for the collections made of other materials (PIERROT, PLEXIGLASS and LIMOGES).

Type of back box	Compatible with...	Reference	Cold finishes	Warm finishes	Special finishes	Shiny Gilding	
Mounting plates for MELJAC back boxes	Plates 80x80	AA3008Z-Z0001MOD	28,94	30,69	34,73	41,67	*to be added to the price of the plate and back box
	Plates 80x115	AA3000Z-Z0001MOD	28,94	30,39	34,73	41,67	
	Plates 80x142	AA3002Z-Z0001MOD	35,88	37,67	43,06	51,67	
	Plates 205x80	AA3004Z-Z0003MOD	42,82	44,97	51,40	61,66	
	Plates 267x80	AA3006Z-Z0004MOD	49,78	52,27	59,72	71,68	
	Plates 38x91	- - -	28,94	30,69	34,73	41,67	
	Plates 38x133	- - -	28,94	30,69	34,73	41,67	
	Plates 38x175	- - -	35,88	37,67	43,06	51,67	
Mounting plates for LEGRAND back boxes	Simple	AA3008Z-Z0001MOD	28,94	30,69	34,73	41,67	
	Double	AA3025Z-Z0002MOD	47,46	49,83	56,95	68,34	
	Triple	AA3031Z-Z0003MOD	59,03	61,98	70,84	85,00	
	Quadruple	AA3038Z-Z0004MOD	70,61	74,13	84,74	101,68	



* Example (other mechanisms on demand)

TERMS & CONDITIONS OF SALE

I. MAIN CLAUSE

These General Terms and Conditions apply to all sales of our products, and prevail over any and all other terms and conditions of purchase, unless otherwise expressly agreed and signed in writing by ourselves.

They were updated on 1 October 2022, supersede the previous Terms and Conditions of a prior date and may be changed without prior notice.

II. CONFIDENTIALITY

All designs, plans, drawings or documents which are provided or sent by MELJAC remain the property of same; in any case and for any reason, they may not be disclosed to third parties, under penalty of damages.

III. CONTRACT FORMATION

An order may only be registered and give rise to a MELJAC purchase order if:

- (i) It occurs subsequent to the issuance of a quotation: it must be approved by returning it to the MELJAC sales department dated, signed and marked “good for agreement” (mandatory for private customers). Our quotations are valid for 2 months from date of issue.
- (ii) It is duly written in the form of a Purchase Order on letterhead for companies, with the name and signature of the requester.
- (iii) All items necessary for production have been supplied to the MELJAC sales department:
 - a. Feasibility and diagrams of engraving dated and signed with the words “good for agreement” appearing thereon
 - b. Equipment to be adorned in the case of an order for a plate as casing for equipment not supplied by MELJAC

Manufacturing lead times run only from the time when points (i), (ii) and (iii) are observed and the order is accepted by MELJAC.

This order implies acceptance of the prices in effect on the order date, and the terms of any rebate or trade discount granted.

For any order giving rise to a production order, **no change or cancellation** may be made **after 48 hours**. Within this time span we accept only 2 changes to the same order, which corresponds to one change every 24 hours.

After 48 hours of issuance of the initial order, no change or cancellation may be considered and a new quotation will need to be approved prior to conversion into a **new order**. This new order will naturally be reintegrated into the production priorities as of the new order date.

Similarly, no goods may be returned unless specifically agreed with the person in charge of the commercial offer.

IV. DELIVERY

Owing to the craftsmanship involved in manufacturing the order, the average lead times are provided for general guidance purposes only and may not constitute a binding contractual agreement: a minimum of between 6 and 8 weeks for standard equipment in certain collections (Classique collection); special equipment will be assessed on a case by case basis. Quotations provide an approximate shipping date in weeks and this date may be confirmed or reviewed when the purchase order is sent.

We use our best endeavours to meet the shipping dates indicated. Any delays do not entitle the buyer to cancel the sale, refuse the goods, or claim damages. In any event, we may not be held liable:

- (i) If the payment terms specified are not adhered to
- (ii) If information necessary for the execution of orders is not provided to us in good time
- (iii) In the event of a delay by our own suppliers, unforeseen events, etc.

In such conditions, no penalty for late shipment may be accepted by MELJAC, except in specific cases and subject to prior written agreement.

TERMS & CONDITIONS OF SALE

V. RETENTION OF TITLE

MELJAC retains ownership of goods sold until effective payment of the full price in principal and accessories.

Failure to pay any one of the instalments may lead to repossession of the goods concerned by MELJAC. After 6 months from order execution and the first reminder to pay the remaining balance on the order, MELJAC shall proceed with order cancellation, reintegration (where possible) of the products/components to stocks and shall retain the deposit already paid by way of compensation.

VI. PRICES – TERMS OF PAYMENT

The prices set by MELJAC are exclusive of VAT and in euro; their term of validity is clearly indicated.

Shipping fees are not included in the price (prices are quoted EXW (ICC INCOTERMS 2000): Ex Works).

MELJAC reserves the right to amend them without notice at any time, in particular due to raw material price fluctuation.

An initial minimum payment of 30% of the full order price will apply for all firm orders placed. Payment will be 100% of the full order price in the case of orders equal to or under 500 euro including VAT.

Payment of the remaining balance shall be made before order shipment or collection, according to the shipping terms specified on order confirmation.

Any other payment terms shall be mentioned beforehand on a contractual document issued by MELJAC and signed by the client. In the event of any change to the legal or financial situation of the client, we reserve the right, even after partial execution of the order, to require guarantees to continue its execution.

The terms of payment shall be endorsed and accepted when the order is placed, including payment of the deposit, under penalty of delaying order registration.

Any delay in the settlement of a previous order may halt any new order or suspend any existing order until complete settlement of the requester's account, without prejudice to any other course of action.

In the event of postponed shipment through the client's fault, storage charges may be invoiced.

VII. GUARANTEE

MELJAC's guarantee covers its products against any defect in design, material and/or workmanship for a period of 24 months under the following conditions:

- Any apparent defect must imperatively be reported to MELJAC upon receipt of the goods;
- Any malfunction must be revealed or be reported to MELJAC within a maximum period of 7 days as from shipment, it being specified that the product must be used in accordance with its intended purpose and nature.

Upon expiry of the above periods, the buyer shall no longer be entitled to enforce the guarantee. This period of 24 months runs from the shipment date.

The client shall be required to inform MELJAC by providing explanations about the defect encountered, illustrated with photos. MELJAC may, if necessary, request that the product in question be returned to its premises for inspection.

It is understood that the above guarantee is excluded in the following cases:

- (i) in the event of installation that does not comply with professional standards and practices or the technical instructions (where such instructions exist), and in the event of abnormal, improper or inappropriate use of the product given its nature and/or contractual purpose;
- (ii) in the event, after shipment, of lack of/defective storage and/or misstorage, maintenance, conservation or custody required by the nature and/or contractual purpose of the product, in particular climatic conditions, hydrometric conditions, temperature, light, poorly protected warehouse (this list is not limitative).

The client also acknowledges being informed that surface treatments are likely to change over time according to the conditions referred to in subparagraph (ii) above. **Such potential changes are not guaranteed.**

TERMS & CONDITIONS OF SALE

MELJAC's liability is expressly limited to the guarantees and reservations defined above and may under no circumstances be sought or engaged due to incidents and/or accidents caused to people or items in the event of abnormal installation and/or use or installation or use that is ill-suited to the purpose or nature of our products. Our liability is in any event financially limited to the amount (VAT excluded) of the product(s) or materials under investigation.

The above contractual guarantee shall in no way be construed as limiting the French legal guarantees.

VIII. RESOLUTIVE CLAUSE

In the event of non-execution of their obligations by either party, the contract governed by these General Terms and Conditions of Sale shall be terminated ipso jure to the benefit of the other party, without prejudice or damages that might be claimed by the defaulting party.

Termination shall take effect 15 days after written notice thereof has been sent by registered post with acknowledgement of receipt and remains unsuccessful.

IX. ATTRIBUTION OF JURISDICTION

Any dispute regarding the conclusion, execution or interpretation of the contract and sales which could not be resolved amicably shall be referred to the exclusive jurisdiction of the Commercial Court of Paris, which is expressly granted jurisdiction.

X. ACCEPTANCE AND OBJECTION

The present General Terms and Conditions of Sale constitute an element of contract.

MELJAC clients shall be deemed to have accepted such Terms and Conditions unless reservations are made at the time of the order.

**Showroom & Headquarter**

3 rue de la Procession
75015 PARIS
FRANCE

☎ : +33 (0)1 40 61 08 43

📠 : +33 (0)1 40 61 08 46

✉ : france@meljac.com

Showroom Rhone-Alpes Region

5 rue Charles DULLIN
69002 LYON
FRANCE

☎ : +33 (0)4 78 38 37 72

📠 : +33 (0)4 78 38 09 64

✉ : lyon@meljac.com

Export Department

☎ : +33 (0)1 47 34 21 42

📠 : +33 (0)1 47 34 21 46

✉ : export@meljac.com

Other services

☎ : +33 (0)1 70 08 06 30

✉ : yachting@meljac.com

✉ : hospitality@meljac.com

Distributed by:

www.meljac.com



@maisonmeljac